

C

UCKET^{on/a}BELT

ACCODTMENT 2020 * EST. 1964 *

PRODUCT ASSORTMENT 2020

2020 INNOVATION, EFFICIENCY & UNGER PROFESSIONAL QUALITY

FOR REAL PROFESSIONALS

UNGER is driven to continually develop new products that offer real value to cleaning professionals. All our products are customer-oriented and have been tested and approved by customers before launching to market. Every **UNGER** product is designed with end user safety, comfort and efficiency in mind.

With cleaning contractors in more than 80 countries around the world putting trust in **UNGER** quality, our company has gained international reputation as a leading manufacturer of professional cleaning and maintenance tools. UNGER BRAND STANDS FOR → INNOVATION → QUALITY → SERVICE



THE UNGER HYDRO POWER® ULTRA IS SETTING A NEW STANDARD IN DEIONISING FILTER TECHNOLOGY FOR PURE WATER CLEANING!

A definite value-add for every professional glass and building cleaner. The perfect choice for every job. All three versions are compact and easy to transport. Choose the correct size of **HydroPower® Ultra** for you, taking into account how often you work with pure water. Inspired by our customers and packed with the latest patented design innovations, **HydroPower® Ultra** Filters offer a wealth of benefits for professional window cleaners (and everyone who cleans with pure water). Together with the **nLite®** water-fed poles, they form **UNGER**'s pure water cleaning system with practical solutions for professional users.





OPTILOC - IF YOU WANT TO REACH GREAT HEIGHTS YOU NEED A STRONG GRIP

For even more ease of use and handling, **UNGER** has now further optimised its **OptiLoc** telescopic poles. Thanks to the new 2-component twist lock, this new generation of **OptiLoc** telescopic poles offers many advantages.

, ^Ор. 51

OD. 70



ERGO TEC[®]: SMARTER. BETTER. UNGER.

Perfect combination for streak-free cleaning results: The new **UNGER ErgoTec®** handle with optimised S-spring and the S-channel Plus with precisely curved ends – so greater cleaning results go hand in hand with easy channel replacement. Made in Germany.

🕐 р. 39



INTUITIVE, EFFECTIVE, ULTRAFAST: THE UNGER erGO! CLEAN FLOOR CLEANING SYSTEM! With the newly developed erGO! clean and erGO! wax systems UNGER raises the professional floor cleaning and care to a new standard of user-friendliness and cost-effectiveness. Thanks to the ergonomic S-shaped handle, the cleaning and finishing of floors can now be mastered with minimal effort by the cleaning staff. Intuitive, back- and joint-friendly and time efficient.



STINGRAY OS – THE MOST EFFICIENT INDOOR CLEANING SYSTEM: MORE FLEXIBLE THAN EVER

Discover **Stingray** – a safe and simple way to clean indoor surfaces! A revolutionary, ready-to-run solution to your indoor window cleaning needs, **UNGER Stingray** cleans windows up to 25 % faster and uses up to 39 % less chemical than conventional sprayer and cloth method. **NEW:** Stingray OS - refillable tank, hygienic clean QuikPad

🔊р. 60

INFORMATION AND KNOW-HOW

Learn more about UNGER products and discover the latest cleaning technologies on our website an in our social media channels:



TABLE OF CONTENTPRODUCT ASSORTMENT



| Introduction | . 6 |
|--------------------------------|-----|
| PURE WATER SYSTEM | |
| | |
| Introduction Pure Water System | 8 |
| A: Pure Water Filters | |
| Introduction | 10 |
| HydroPower® Ultra Filter | 12 |
| HydroPower® Ultra Kits | 16 |
| Ion Exchange Resin | 17 |
| HydroPower® R0 | 18 |
| HiFlo R060C | 19 |
| HiFlo RO60S | 20 |

| HiFlo R060S | |
|----------------------------------|----|
| HydroPower® RO XXL | 21 |
| B: Water Fed Pole System | |
| Introduction | |
| nLite® One | |
| nLite® Connect | |
| C: nLite® Goosenecks & Kit & Bag | 28 |
| Accessories | 29 |
| D: nLite® & HiFlo Brushes | |

TRADITIONAL WINDOW CLEANING



| Introduction Traditional Window Cleaning | |
|--|----|
| Icons and Overview | 35 |
| Squeegees | 37 |
| Washers | 42 |
| Scrapers | 46 |
| Telescopic Poles | 50 |
| Adapters & Maintenance | 53 |
| Cloths | 54 |
| Gloves | 55 |
| Belts & Pouches | 56 |
| Buckets & Soap | 58 |
| Cleaning Sets | 59 |
| | |

INDOOR WINDOW CLEANING



| STINGRAY System60 | |
|---------------------------------|--|
| Indoor Window Cleaning System65 | |

LITTER PICKING & REACHING AIDS



| Introduction | 66 |
|---|----|
| Waste Collection NiftyNabber® Bagger | 66 |
| Paper Picker | 67 |
| Grabber NiftyNabber® Pro NiftyNabber® Trigger | |

MAINTENANCE



| Introduction | 68 |
|--|----|
| Floor Cleaning erGO! clean & wax System | 70 |
| Floor Cleaning Introduction | |
| Microfibre Mops & Mop Holder | 75 |
| Double Bucket | 76 |
| Cleaning Cart | 77 |
| Floor Squeegees | 78 |
| Floor Handles | 80 |
| Maintenance Tools | 81 |
| Floor Scrapers | 81 |
| Microfibre Cloth System | |
| Microfibre Cloths, Grading System | 82 |
| Cloths & Sprayer | 83 |
| Dusting & Brushes | |
| Brushes & Dusters | |
| Microfibre Dusters | 85 |
| Washroom Cleaning | |
| Toilet Cleaning | |
| Surface Cleaning | |
| Inspection Tools | |
| | |



WINDOW CLEANING



Professional Window Cleaning

Delivering expert solutions and high quality service for over 55 years

The World's Number 1 brand in professional window cleaning, UNGER have been delivering innovative solutions for expert cleaning and maintenance since 1964. Over the years we have celebrated many major milestones a lot of them you will find in this catalogue.

Today our range includes a wide choice of best-selling traditional window cleaning tools and multi-award winning Pure Water Cleaning Systems, designed for safe and efficient cleaning of external glass, building facades, solar panel, signage and more at heights of up to 20 m.

UNGER'S latest innovation - the Stingray Indoor Cleaning System allows you to clean indoor windows and other surfaces up to 25 % faster, using 39 % less chemicals. Stingray allows you to reach heights of up to 5m safely from the ground, creating lasting protection against dust, fingerprints and fogging with every clean.

With all **UNGER** products covered by 100 % Customer Satisfaction Guarantee, cleaning contractors in more than 80 countries around the world trust in **UNGER** quality.





Applied with water fed pole system such as nLite[®], PURE WATER is the most efficient way of cleaning at heights of up to 20 m safely from the ground. What's more, it requires no chemicals or drying the glass - saving time and money!

TYPICAL APPLICATIONS: Residential or commercial window cleaning, large areas of glass, building facades, vehicles, signs and solar panels.

TRADITIONAL WINDOW CLEANING



Traditional handheld tools, designed to meet the demands of the professional window cleaning industry (see page 35). TYPICAL APPLICATIONS: Suitable for cleaning most types of outdoor and indoor glass and windows.

INDOOR WINDOW CLEANING



Innovative and effective tools, designed to meet the demands of general cleaners for quick and efficient indoor window cleaning (see page 60).

TYPICAL APPLICATIONS: Suitable for cleaning indoor glass, windows, mirrors and many other types of surfaces. Perfect for hard to reach areas and safe cleaning of surfaces at heights of up to 10 m.

WINDOW CLEANING PURE WATER SYSTEM

Cleaning with Pure Water

WHAT IS PURE WATER ?

It's water in its purest form, physically processed to remove the minerals that would otherwise lead to limescale spots and streaks.

Such impurities are referred to as **TDS** (total dissolved solids) and are measured in **ppm** (parts per million).

The water is considered 100 % demineralised (pure) when TDS is 0 ppm.

ADVANTAGES

FAST: Twice as f

EASY:

Easy to operate

Twice as fast as traditional glass cleaning - just one process.

COST-SAVING: Half the labour costs. No rental for cherry picker.

and simple resin change.

no remarior enerry plenet.

ENVIRONMENTALLY FRIENDLY: Glass cleaning completely without chemical cleaning agents.

SAFE:

Safe working from the ground up to the 6th floor, with no cherry picker or ladder whatsoever.

PURE WATER CLEANING - KEY COMPONENTS

The perfect 4-Step-System:

| A PURE WATER FILTERS | , D p. 10 |
|-------------------------|--------------|
| B WATER FED POLE SYSTEM | , D. 22 |
| C GOOSENECKS | p. 28 |
| D BRUSHES | 🔎 p. 30 |

WHY USE PURE WATER FOR CLEANING?

Pure water contains phenomenal cleaning power – without using any chemicals whatsoever. One-step cleaning with pure water means there is no need to wipe and polish the glass. The pane dries streak-free and without any deposits. It is twice as quick as with traditional glass cleaning and significantly improves the cost calculations*.

Applied with a water fed pole system, such as **UNGER nLite®**, pure water is a fast, safe and effective method of cleaning, especially at height.

*Prof. Dr. rer.nat. Gerhard Winter, Albstadt-Sigmaringen University, seminar documents February/March 2011

TYPICAL APPLICATIONS


WINDOW AND FACADE CLEANING:

- Fast and effective method great results!
- Easy access to hard to reach areas




PV- AND SOLAR PANEL CLEANING:

- Regular cleaning prevents build up of dirt for greater energy output
- Solar yield can be increased significantly!
- Cleaning with 100 % pure water leaves no streaks or detergent residue







PURE WATER FILTERS

There are 2 recognised methods of pure water production in the window cleaning industry - Reverse Osmosis and Deionisation.

The **UNGER** range includes filters utilising either of these methods - turn to page 10 for more information.

🔎 р. 10

WATER FED POLE SYSTEMS

Light, modular and easy to use. Our **nLite®** System sets a new benchmark in professional cleaning technology.

Suitable for cleaning of glass and building facades, stainless steel, solar panels, signage and vehicles, the innovative system includes everything you need to clean at heights of up to 20 m (65 ft) high safely from the ground.

🔎 p. 22

GOOSENECKS (ANGLE ADAPTERS)


Strong and light carbon fibre goosenecks allow the **nLite**[®] Brush to be screwed directly on to the gooseneck and then quickly fitted to the water fed pole to achieve any working angle.

🔎 p. 28

BRUSHES

Superlight **nLite**[®] brushes feature high quality polyester or natural bristles designed to get into the smallest corner and help with scrubbing actions. With up to 12 different Jet locations and choice of sizes, there is a perfect Brush to help you overcome any cleaning challenge.

WINDOW CLEANING PURE WATER FILTERS



PURE WATER FILTERS

Choosing Your Filter System

There are 2 recognised methods of pure water production in the window cleaning industry – **Reverse Osmosis** and **Deionisation.** The **UNGER** range includes filters utilising either of these methods. This page will help you to decide which method suits your cleaning requirements best and will deliver the highest return on your investment.

HYDRO POWER® ULTRA DEIONISATION FILTER (DI)



These filters utilise ion exchange resin which removes ionised salts and impurities from water, producing 100 % deionised pure water, with no waste water.

Though DI filters require a relatively low initial investment when compared to RO, frequent replacement of old resin with new is necessary for 100 % pure water production.

Mobile design and portability, with no need for power or pumps, our DI filters can be easily set up anywhere – all you need is a tap water supply.

p. 12

RECOMMENDED FOR:

- Areas with soft or medium water hardness level
- Small size filters are ideal for cleaning small to moderate size areas, as well as an entry level solution for professional cleaning
- Large sizes for frequent cleaning of large areas
- Use as final stage of water purification process, after R0 membrane, to achieve 100 % pure water

HYDRO POWER® REVERSE OSMOSIS FILTER (RO)



The **UNGER RO** utilizes 3 stage water purification system.

First, the combi-pre-filter captures chlorine and sediments from the incoming water, then the water is directed towards 2 RO membranes which remove up to 98 % of dissolved minerals and contaminants.

At this point, the water flow is split into waste water (concentrate) that requires drainage facility and pure water which is directed to DI Polisher where any remaining impurities are filtered by ion exchange resin to produce 100 % pure water.

RECOMMENDED FOR:

- Areas with hard or very hard water level
- Constant, high volume pure water production







UNGER





PURE WATER FILTERS HYDRO POWER[®] ULTRA FILTER



THE HYDRO POWER® ULTRA SYSTEM

The Most Efficient DI Pure Water System Ever! Performance at the highest level:



The **UNGER HydroPower® Ultra** is setting a new standard in deionising filter technology for pure water cleaning. A definite value-add for every professional glass and building cleaner.

OVER 30 %* MORE PURE WATER PER RESIN FILLING

- Every Ultra resin pack contains a pre-portioned amount of **UNGER** premium ion-exchange resin with a **new formula, perfected for glass cleaning**
- The **FloWater technology 2.0** in every Ultra resin pack ensures an efficient flow of water through the whole tank which optimises the **resin saturation**

Ultra Resin Packs



Premium Ultra Resin Perfected ion exchange resin, as required for cleaning glass



SIMPLE AND EFFECTIVE HANDLING



TDS-Meter

- Displays, at the push of a button, whether the Ultra Resin Packs need to be changed.
- At a TDS value >10ppm the Ultra Resin Packs have to be changed

Easily removable cover

- Quick and easy changeover
- Ultra resin packs can be changed as easily as a coffee pad in a coffee machine





FastLock quick-fit fastener

- Easy to open and close the tank
- Safe, self-locking mechanism with pressure-relief valve

High-quality metal connections

 Reliable quick release connectors, suitable for most hoselock type fittings commonly used on most water fed poles

PURE WATER FILTERS HYDRO POWER[®] ULTRA FILTER

The HydroPower® Ultra System





CUSTOMISED IN EVERY SIZE

Choose from 2 filter sizes depending on the volume of pure water required and frequency of use to maximise your return on investment.

All 3 versions are supplied complete with **Ultra Resin** Packs and integrated TDS meter to monitor the outgoing water hardness.



DIUH1 - HydroPower® Ultra S contains 1 Ultra Resin Pack (6 l)



DIUH2 - HydroPower® Ultra L contains 3 Ultra Resin Packs (18 l)



DIUH3 - HydroPower® Ultra LC contains 3 Ultra Resin Packs (18 l)

HydroPower® Ultra FILTER

| Part No. | Base | Height | Resin Packs | Cart |
|----------|------------|--------|-------------|--------------|
| DIUH1 | 30 x 31 cm | 35 cm | 1 (6 l) | - |
| DIUH2 | 30 x 31 cm | 77 cm | 3 (18 l) | - |
| DIUH3 | 30 x 31 cm | 107 cm | 3 (18 l) | \checkmark |

FILTER OUTPUT

In particular the water hardness and the hydrogen carbonate content of the input water have a strong influence on the amount of pure water. The following values correspond to the output of **UNGER** HydroPower[®] Ultra with average tap water:

> HydroPower Ultra S (DIUH1) Factor

> > Resin fill

Pure water quantity per resin filling

Working hours*





| e e e e e e e e e e e e e e e e e e e | |
|---------------------------------------|----------------------------|
| Coverage in m ² ** | approx. 600m ² |
| HydroPower Ultra L (DIUH2 | 2) |
| Factor | Value |
| Resin fill | 3 x 6 l |
| Pure water quantity per resin filling | 2.450 l |
| Working hours* | approx. 20 h |
| Coverage in m ² ** | approx. 2000m ² |
| Hydro Power Illtro I C (DIII | (6) |

Value

1 x 6 l

710 l

approx. 6 h



| lydroPower Ultra LC (DIUH | 13) |
|--------------------------------------|----------------------------|
| Factor | Value |
| Resin fill | 3 x 6 l |
| ure water quantity per resin filling | 2.450 l |
| Working hours* | approx. 20 h |
| Coverage in m ² ** | approx. 2000m ² |

The pure water quantities (TDS < 10 ppm) were determined by an independent test laboratory at a water flow rate of 180 l/h and under the following conditions for the input water:

- TDS: 275 ppm
- Sum of cations and anions: 5.5 meq/l
- Hydrogen carbonate content of anions: 60%.

With *soft water* (<100 ppm) the pure water output can increase *more than 3 times*. With very hard water (>400 ppm), depending on the hydrogen carbonate content and ion concentration, the output can decrease by more than half.

* at a water flow rate of 120 l/h with an area output of 100 m^2/h



PURE WATER FILTERS HYDRO POWER® ULTRA KITS



PURE WATER FILTERS



Ultra RESIN PACKS FOR HYDRO POWER® ULTRA FILTER

Over 30% more pure water per resin filling

| Ultra R | | DIUB | S |
|----------|---|------|---|
| Part No. | Info | Pack | |
| DIUB1 | 3x Ultra Resin Packs for DIUH1, DIUK1, DIUKU | 1 | |
| DIUBS | 1x Ultra Resin Pack for DIUH1, DIUK1, DIUKU | 1 | |
| DIUB3 | Kit with 3 Ultra Resin Packs for DIUH2, DIUH3, DIUK2, DIUK3, DIUKF | 1 | |

QuickChange RESIN BAGS FOR HYDRO POWER® DI FILTER

High comfort



QuickChange RESIN BAGS 6 L

| Part No. | Info | Pack |
|----------|-----------------------------------|------|
| DIB64 | 4 bags (24 l) in air tight bucket | 1 |
| DIB84 | 4 bags (24 l) in air tight bag | 1 |

PREMIUM GRADE VIRGIN MIXED BED RESIN

High capacity virgin mixed bed ion exchange resin for total de-ionisation and purification of water. Immediately produces 100% pure water for streak free glass cleaning.





PREMIUM GRADE VIRGIN MIXED BED RESIN

| Part No. | Product | Pack |
|----------|-------------|------|
| DIB25 | Bag 25 l | 1 |
| DIP25 | Bucket 25 l | 1 |

ntains a UNGER premium

Every Ultra resin pack contains a pre-portioned amount of **UNGER** premium ion-exchange resin with a **new formula, perfected for glass cleaning**

The **FloWater technology 2.0** in every Ultra resin pack ensures and efficient flow of water through the whole tank which optimises the **resin saturation**



NORO POWER

DROPOWA

The **QuickChange** Resin Bags allow users to speed up the resin change process - simply DI remove the bag with expired resin and insert a new one.

The **QuickChange** Resin Bags offer fast and easy resin replacement on the spot with minimal mess - anytime and anywhere!



Consisting of a mixture of a gel, type I strong basic anion exchanger, and a gel, strong acid-cation resin, for the direct demineralization of water. 40 % cation, 60 % anion, pH range 0-14.

Suitable for use in:

- Refillable DI cartridges
- DI pressure vessels
- Filters for Pure Water Window Cleaning

RESIN CHANGE

The conductivity measurement is used to monitor water quality. If a conductivity measurement (integrated TDS-metre) indicates a value of > 10 ppm, the resin must be replaced.

PURE WATER FILTERS HYDRO POWER[®] RO



FIVE SMART REASONS FOR HYDRO POWER® RO

This handful of cutting-edge features can make a huge difference to anyone who cleans with pure water.

1 Maximum performance*

With pure water output of up to 400 litres per hour, the **HydroPower® R0** is designed to be used by 1, 2 or 3 operators simultaneously.

2 Innovative RO SMARTGUARD Monitoring System Our intelligent assistant technology eliminates guesswork from managing your filter performance and maintenance.

(3) Self-maintenance technology

Automatic flush function before and after every use helps to prevent scaling and pollution of the RO membrane, prolonging its lifetime and reducing running costs.

(4) Compact and robust design

With its smart, contemporary look and high quality workmanship, the **HydroPower® RO** is built to last. Made in Germany.

(5) Ultra fast & easy care

User-friendly FastLock opening mechanism speeds up replacement of filters cartridges by up to 30 times.

REVERSE OSMOSIS FILTER (RO)

HydroPower® RO The next generation in pure water technology

Smart assistance meets easy maintenance

The **HydroPower® RO** unites advanced intelligent technology, automation and user-friendly features, so you can concentrate what matters – doing a great job!

While you work, our unique electronic assistant, **RO SMARTGUARD** will keep watch over filter's performance and let you know if anything needs urgent attention or service.

The filter components can be changed quickly and easily - without tools.

RO SMARTGUARD

• watches over filter's performance

DOUBLE MEMBRANE

 very high water output, up to 400l/hour*

COMBI PRE-FILTER SEDIMENT & CHLORINE

 to protect both membranes

RESIN FILTER FOR POLISHING

• 100% pure water production

3 METAL CONNECTORS

 for 3 operators to work simultaneously

HIGH POWER PUMP

 supports the high water flow

NLH25

CE

| HydroPower® | RUFILIER |
|-------------|----------|

| Part No. | Product | Pack |
|----------|------------------------------------|------|
| R040C | Mobile RO-Filter | 1 |
| NLHPA | High Performance Brush Kit | 1 |
| NLH25 | High Performance Hose Ø 8 mm, 25 m | 1 |

NLHPA

*at 18 °C water temperature, 4 bar water pressure, unrestricted by external hose

PURE WATER FILTERS HIFLO RO60C

Quality Tools for Smart Cleaning



REVERSE OSMOSIS FILTER (RO)

HiFlo RO60C The high performance RO-filter for real professionals

- Perfect for cleaning of **large glass fascades** more water on the surface, for rinsing and cleaning
- Resin filter for polishing 100% pure water production
- Suitable for two workers with no loss of water capacity or one worker with increased performance
- Ideal for tank filling
- Automatic pump control with dry run protection
- Built in TDS meter monitors water and resin quality

DOUBLE MEMBRANE

• extended water output, approx. 700l/hour*

RESIN FILTER FOR POLISHING

 100% pure water production

COMBI PRE-FILTER SEDIMENT & CHLORINE

 to protect both membranes

PURE WATER FLOW METRE

• Displays the produced amount of pure water

EXTRA HIGH POWER PUMP

• supports the high water flow

HiFlo RO HIGH PERFORMANCE FILTER
Part No.
R060C

* At 18°C water temperature, 4bar water pressure, without counterpressure at the water outlet.

CE certified

Pack



PURE WATER FILTERS HIFLO RO60S



REVERSE OSMOSIS FILTER (RO)

HiFlo R060S Reverse osmosis filter with high pure water production for large areas

- Perfect for cleaning of **solar panels** more water on the panel, better rinsing and cleaning
- Ideal for two workers with no loss of water capacity or one worker with increased performance
- Ideal for tank filling
- Carbon filter lasts app. 200.000 l at 2 ppm chlorine
- Built in TDS meter monitors water quality
- Automatic pump control with dry run protection for added safety
- High quality, corrosion-resistant stainless steel frame

DOUBLE MEMBRANE

 extended water output, approx. 750l/hour

LARGE CARBON

PRE-FILTER to save membranes from chlorine

LARGE SEDIMENT PRE-FILTER

 to protect both membranes

PURE WATER

- **FLOW METRE**
- Displays the produced amount of pure water

EXTRA HIGH POWER PUMP

• supports the high water flow

HIFLO RO HIGH PERFORMANCE FILTER Part No. R060S

* At 18°C water temperature, 4bar water pressure, without counterpressure at the water outlet.

PURE WATER FILTERS **HYDRO POWER**[®] **RO XXL**



A

THE HYDRO POWER® RO XXL SYSTEM

- Fully integrated trailer system with reverse osmosis filter and 650 l water tank
- Total flexibility for producing and transporting 100 % pure water for water fed pole cleaning!
- The ONLY real alternative to commercial van mounted systems



MOBILITY:



Suitable for vehicles with towing capacity of 1.500 kg. High capacity baffled tank integrated into lightweight chassis for easy towing. DOT road specification, single axle, integrated lights and indicators with brake assist. Supplied with European standard coupling, jockey wheel and manual parking brake. Conforms to EU regulations.

SAFETY:



FLEXIBILITY:



PROTECTION:



The multi-chamber tank design with low centre of gravity is designed to maximise stability during transportation. Also includes Auto Shut Off features, activated during water production mode when the tank becomes full and during use when the TDS of the outgoing water measures 5 ppm (can be changed to lower or higher number).

The flow rates for Wash and Rinse modes can be adjusted anytime at the digital control panel. This allows the operator(s) to choose more or less powerful flow rates to suit the cleaning job, saving and conserving water when less intense water flow is needed. You can also switch between Wash and Rinse modes at the touch of a button using the wireless remote control.

Optional protection cover for the hose reels. Robust truck tarpaulin that can be fixed on the new fixing point at the trailer frame.

- Automatic flush function helps to prevent scaling and pollution of the RO membrane and prolong its lifetime.
- Maximum tank capacity: 650 l pure water
- 1 or 2 man operation via 2 stainless steel hose reels and 2 x 12 V (10 bar, 150 psi) pumps
- 2 high quality 100 m hoses for optimal reach
- Pure water output up to 125 l per hour per person
- Digital controller monitors water flow, pressure and battery power
- Control water flow manually or by wireless remote control (max. reach 100 m in open area)
- 3 stage water purification production with dedicated 12 V (10 bar, 150 psi) pump.
 (Carbon Pre-filter, RO Membrane and HydroPower[®] DI Filter Polisher)
- Integrated TDS meter
- High capacity 12 Volt AGM battery offers 'all day' operation before requiring recharge
- Maintenance free 210 amp hour AGM battery with mains charger supplied
- Optional: Proctection cover available for hose reels.

AUTOMATIC FLUSH FUNCTION

- Extended lifespan of the membrane: An automatic 5 minute rinse at the start of the water filtration process flushes out impurities and helps to keep the membrane clean which significantly extends its service life.
- Reduced DI resin consumption: Optimised membrane performance results in higher purity of the water passing through the DI filter and therefore extends resin lifetime.
- Simplified membrane care: The conservation liquid is rinsed out from the membrane automatically, saving time and effort it would take you to do this manually.

HydroPower[®] RO XXL TRAILER


| Part No. | |
|--------------------------|--|
| TRLR1 | |
| 18845 (Protection Cover) | |





WINDOW CLEANING WATER FED POLE SYSTEM






nLite® WATER FED POLE SYSTEM

nLite[®] - one system, two different designs

There is a perfect **nLite**[®] pole for any cleaning challenge, all you need to do is decide which one is right for you.

First, choose between telescopic **nLite® One** or telescopic-modular **nLite® Connect** designs, then explore your further options within each range based on required reach and pole rigidity.





TELESCOPIC DESIGN



Meet nLite® One - the new. telescopic pole range, made of the same premium materials as the original nLite[®] system and sharing many of its great features.

FAST & SIMPLE SET UP

Traditional telescopic design allows you to easily extend and collapse the pole or adjust its length in seconds.

COMPACT SIZE

Short collapsed length makes the nLite® One poles ideal for ground level work or transportation in smaller vehicles.

NEW HANDLE DESIGN

The integrated round shaped handle is designed to sit comfortably in operator's hand for easier brush control, with textured surface for reliable grip. Features side aperture for the hose exit when fitted inside the pole.



FEATURES

.



DURABLE CLAMPS

For easy and fast one handed operation, with **UNGER** logo shaped screw for adjusting the tension without tools. Yellow clamps identify the next modular component to prevent unintentional separation.



HOSE MANAGEMENT Use the practical **nLite**® Clips to secure the hose along the length of the Pole to avoid tangling and improve safety.



RED VISUAL WARNING AREA

At the bottom of each pole section helps you to prevent overextending the pole. Featured on both nLite[®] One and nLite[®] Connect poles.



MODULAR-TELESCOPIC DESIGN



The original Master and Extension Pole System, combining the best of telescopic and modular designs, has a new name nLite[®] Connect.

FULL FLEXIBILITY

Modular construction allows you to add on or remove Extension Poles to create telescopic poles in different lengths for cleaning at various heights.

35 MM DIAMETER

Diameter of the nLite® Connect pole you are holding will never exceed 35 mm, irrespective of the number of Extension Poles.

.....YELLOW VISUAL WARNING AREA

The top of the Extension Pole helps to avoid unintentional separation.

DURABLE PLASTIC ENDCAP

Prevents accidental damage to the end of the pole and features a side apeture for the hose exit when used inside the pole.

WINDOW CLEANING WATER FED POLE SYSTEM

nLite® One WATER FED TELESCOPIC POLE SYSTEM

nLite[®] Pole Selection Guide



GE16T

SIMPLICITY

Made of the same premium quality materials as the original **nLite**[®] series and retaining many of its premium features, the new telescopic **nLite**[®] **One** range is a winner when simplicity and speed of use are essential. All Poles can be extended, adjusted or closed in seconds – fast and easy!


Compact collapsed size of this range makes it ideal for ground level work and transportation in smaller vehicles.

GLASS FIBRE

Choose between 6 pole length options, starting from 1,50 m mini-pole that collapses to only 90 cm – ideal for abseiling or cradle work.

CARBON FIBRE

Featuring the same closed length as the **nLite® Connect** Carbon Fibre Poles, the fully telescopic design of the **nLite® One** poles provides even greater rigidity – perfect for easy brush control. Available in 4 pole length options.



Greater heights require poles with greater rigidity and lower weight for optimal performance. The key factor affecting the rigidity of the pole is the material

it is made of and its ultimate strength, measured in gigapascals (GPa).

Every **nLite**[®] pole is made from premium materials, offering best in glass rigidity, so with 6 options to choose from, there is a perfect **nLite**[®] pole for any working height.

ALU

ALUMINIUM, 30 GPa

С

Recommended for working at heights of up to 9 m


GLA

0 C

GLASS FIBRE, 70 GPa Recommended for working at heights of up to 9 m



nLite® Connect WATER FED MODULAR-TELESCOPIC POLE SYSTEM






HYBRID, 96 GPa

Recommended for working at heights of up to 10 m



Recommended for working at heights of up to 13,5 m



FLEXIBILITY

The innovative nLite[®] Connect range utilises both telescopic and modular concepts, so you can add on or remove Extension Poles for comfortable cleaning at any height.

The Diameter of the **nLite® Connect** pole you are holding will never exceed 35 mm, irrespective of the number of Extension Poles.

The maximum number of Extension Poles that can be added to a Master Pole depends on the pole material - see guide on the left for details.

Choose from 6 high quality materials, selected by UNGER experts to provide the perfect balance between weight and rigidity at any height.




Recommended for working at heights of up to 20 m

UHiM

C ULTRA HIMODULUS CARBON, 760 GPa Recommended for working at heights of up to 20 m

0 = nLite[®] One C = nLite[®] Connect

WATER FED POLE SYSTEM TELESCOPIC & MODULAR-TELESCOPIC POLES



Quality of UNGER products

PREMIUM

Top of the range product, loaded with features

nLite[®] One CARBON FIBRE TELESCOPIC POLE

Part No. Extended Collapsed Sections Weight Base Ø Pack

7

6

CT81T 8,10 m 1,94 m 5 2,0 kg 38 mm 1

3,5 kg

2,9 kg

2,5 kg

47 mm

44 mm

41 mm

1

1

1

Telescopic Pole. Superior rigidity, lightweight pole.

1,95 m

Strength of fibre composition: 210 GPa*

CT12T 12,20 m 1,95 m 8

9,50 m

10,90 m 1,95 m

★★★ BEST High on features bestseller



GOOD Basic version. Good value option. Quality Tools for Smart Cleaning

Pack

1

1

1

1

1

47 mm

41 mm

29 mm

3,4 kg

2,3 kg

0,7 kg

2,9 kg 44 mm

*

CARBON

CT10T

CT96T

GLASS FIBRE

GF87T

GF75T

GE63T

GF45T

GF25T

nLite[®] One GLASS FIBRE TELESCOPIC POLE

8,70 m 1,80 m 8 7,50 m 1,80 m 7

1,42 m

2,50 m 1,40 m 2

Part No. Extended Collapsed Sections Weight Base Ø

6

4,50 m 1,41 m 4 1,5 kg 35 mm

GF16T 1,50 m 0,90 m 2 0,5 kg 29 mm 1

Telescopic Pole. Highest rigidity in its class.


Strength of fibre composition: 70 GPa*

6,40 m

| ASTE | R | | | | | | EXTE | ISION | | | | | |
|--|--|---|--|--|---|------------------------------------|--|--|--|---|---|--|----------------|
| | | | | | | | | | | | | | |
| nLi | te® Conne | ct ULTRA | німор с | ARBON | MASTER P | OLE | nl | ite® Conne | ct ULTRA | німор с | ARBON | EXTENSIO | N POLE |
| | oic Master Po | | | | | | | pic Extension | | | | | |
| | | | | | ngth: 760 GPa* | | | visual warning | | d unintentior | nal separati | on. | |
| Part No. | Extended | Collapsed | Sections | Weight | Bottom \varnothing | Pack | Part N | . Extended | Collapsed | Sections | Weight | Bottom \varnothing | Pack |
| UH67G | 6,63 m | 1,87 m | 4 | 1,5 kg | 35 mm | 1 | UH35G | 3,41 m | 1,91 m | 2 | 0,7 kg | 35 mm | 1 |
| nLi | te® Conne | | CARBON | MASTE | R POLE | | ni | ite® Conne | | CARBON | FXTEN | | : |
| | oic Master Po | | | | | | | pic Extension | | 3 | | | - |
| | | | | | ngth: 360 GPa* | | | isual warning | | d unintentior | nal separati | on. | |
| Part No. | Extended | Collapsed | Sections | Weight | Bottom Ø | Pack | Part N | . Extended | Collapsed | Sections | Weight | Bottom Ø | Pack |
| UC67G | 6,63 m | 1,87 m | 4 | 1,5 kg | 35 mm | 1 | UC35G | 3,41 m | 1,91 m | 2 | 0,7 kg | 35 mm | 1 |
| | te® Conne | | | | | | | ite® Conne | | | | | |
| | | | | | | | | | | | | | |
| | pic Master Po ead Adapter ; | | | | ole. 19th: 210 GPa* | | | pic Extension /isual warning | | d unintentior | nal separati | on. | |
| | | | | | 5 | | | J | | | | | |
| Part No. | Extended | Collapsed | Sections | Weight | $\operatorname{Bottom} \varnothing$ | Pack | Part N | . Extended | Collapsed | Sections | Weight | $\operatorname{Bottom} \varnothing$ | Pack |
| CT67G | 6,63 m | 1,87 m | 4 | 1,6 kg | 35 mm | 1 | CT35G | 3,41 m | 1,91 m | 2 | 0,8 kg | 35 mm | 1 |
| | te® Conne | | | | | | n I | ite® Conne | | | | E | |
| | | | | | | | | | | JEATENS | | | |
| Toloccor | bic Master Po | | | | ngth: 96 GPa* | | | pic Extension /isual warning | | d unintention | nal separati | on. | |
| | | | | | · j · · · · · · · · | | | ······ | | | | | |
| | eau Auapter | | | | | | | | | | | | |
| | | Collapsed | Sections | Weight | $\operatorname{Bottom} \varnothing$ | Pack | Part N | . Extended | Collapsed | Sections | Weight | $\operatorname{Bottom} \varnothing$ | Pack |
| Incl. Thr | | Collapsed | Sections 4 | Weight 1,7 kg | Bottom Ø 35 mm | Pack 1 | Part N HT35G | Extended 3,41 m | Collapsed 1,91 m | Sections 2 | Weight 0,9 kg | Bottom∅ 35 mm | Pack 1 |
| Incl. Thr Part No. HT67G | Extended 6,63 m | 1,87 m | 4 | 1,7 kg | 35 mm | | HT35G | 3,41 m | 1,91 m | 2 | 0,9 kg | 35 mm | |
| Incl. Thr Part No. HT67G | Extended 6,63 m te [®] Conne | 1,87 m ct GLASS | 4 FIBRE M | 1,7 kg | 35 mm | | HT35G | 3,41 m .ite® Conne | 1,91 m ct GLASS | 2 | 0,9 kg | 35 mm | |
| Incl. Thr Part No. HT67G nLi Telescop | Extended 6,63 m te [®] Conne | 1,87 m ct GLASS le. Highest r | 4 FIBRE M rigidity in its | 1,7 kg ASTER F class. | 35 mm | | HT35G | 3,41 m | 1,91 m ct GLASS Pole. | 2 FIBRE EX | 0,9 kg | 35 mm N POLE | |
| Incl. Thr Part No. HT67G nLi Telescop | Extended 6,63 m te [®] Conne | 1,87 m ct GLASS le. Highest r | 4 FIBRE M rigidity in its | 1,7 kg ASTER F class. | 35 mm POLE | | HT35G | 3,41 m .ite® Conne ppic Extension | 1,91 m ct GLASS Pole. | 2 FIBRE EX | 0,9 kg | 35 mm N POLE | |
| Incl. Thr Part No. HT67G nLi Telescop Incl. Thr Part No. | Extended 6,63 m te [®] Conne bic Master Po ead Adapter Extended | 1,87 m ct GLASS le. Highest r and Endcap. Collapsed | 4 FIBRE M igidity in its Ultimate ma Sections | 1,7 kg ASTER F class. terial strer Weight | 35 mm POLE ngth: 70 GPa* Bottom Ø | 1 Pack | HT35G nL Telesco Yellow Part No | 3,41 m ite® Conne opic Extension visual warning o. Extended | 1,91 m ct GLASS Pole. area to avoid Collapsed | 2 FIBRE EX d unintention Sections | 0,9 kg KTENSIO nal separati Weight | 35 mm N POLE on. Bottom Ø | |
| Incl. Thr Part No. HT67G nLi Telescop Incl. Thr Part No. GF60G | Extended 6,63 m te [®] Conne bic Master Po ead Adapter Extended 6,00 m | 1,87 m ct GLASS le. Highest r and Endcap. Collapsed 1,71 m | 4 FIBRE M rigidity in its Ultimate ma Sections 4 | 1,7 kg ASTER F class. terial strer Weight 1,7 kg | 35 mm POLE ngth: 70 GPa* Bottom ∅ 35 mm | 1 Pack 1 | HT35G nl Telesca Yellow | 3,41 m ite® Conne pic Extension visual warning | 1,91 m ct GLASS Pole. area to avoid | 2 FIBRE EX | 0,9 kg KTENSIO | 35 mm | 1 |
| Incl. Thr Part No. HT67G nLi Telescop Incl. Thr Part No. | Extended 6,63 m te [®] Conne bic Master Po ead Adapter Extended | 1,87 m ct GLASS le. Highest r and Endcap. Collapsed | 4 FIBRE M igidity in its Ultimate ma Sections | 1,7 kg ASTER F class. terial strer Weight | 35 mm POLE ngth: 70 GPa* Bottom Ø | 1 Pack | HT35G nL Telesco Yellow Part No | 3,41 m ite® Conne opic Extension visual warning o. Extended | 1,91 m ct GLASS Pole. area to avoid Collapsed | 2 FIBRE EX d unintention Sections | 0,9 kg KTENSIO nal separati Weight | 35 mm N POLE on. Bottom Ø | 1 Pack |
| Incl. Thr Part No. HT67G nLi Telescop Incl. Thr Part No. GF60G GF45G | Extended 6,63 m te® Conne bic Master Po ead Adapter Extended 6,00 m 4,50 m | 1,87 m ct GLASS le. Highest r and Endcap. Collapsed 1,71 m 1,34 m | 4 FIBRE M igidity in its Ultimate ma Sections 4 4 4 | 1,7 kg ASTER F class. terial stren Weight 1,7 kg 1,4 kg | 35 mm POLE Ingth: 70 GPa* Bottom Ø 35 mm 35 mm | 1 Pack 1 | HT35G nL Telesce Yellow Part No GF30G | 3,41 m ite® Conne pic Extension isual warning b. Extended 3,00 m | 1,91 m ct GLASS Pole. area to avoid Collapsed 1,69 m | 2 FIBRE EX d unintention Sections 2 | 0,9 kg XTENSIO hal separati Weight 0,9 kg | 35 mm N POLE on. Bottom Ø 35 mm | 1 Pack |
| Incl. Thr Part No. HT67G nLi Telescop Incl. Thr Part No. GF60G GF45G nLi | Extended 6,63 m te® Conne bic Master Po ead Adapter 4 6,00 m 4,50 m te® Conne | 1,87 m ct GLASS le. Highest r and Endcap. Collapsed 1,71 m 1,34 m ct ALUMI | 4 FIBRE M rigidity in its Ultimate ma Sections 4 4 4 NIUM MA | 1,7 kg ASTER F class. terial strer Weight 1,7 kg 1,4 kg STER P(| 35 mm POLE ngth: 70 GPa* Bottom Ø 35 mm 35 mm DLE | 1 Pack 1 1 | HT35G nL Telesc Yellow GF30G nL | 3,41 m ite® Conne pic Extension visual warning b. Extended 3,00 m ite® Conne | 1,91 m ct GLASS Pole. area to avoid Collapsed 1,69 m ct ALUMI | 2 FIBRE EX d unintention Sections 2 | 0,9 kg XTENSIO hal separati Weight 0,9 kg | 35 mm N POLE on. Bottom Ø 35 mm | 1 Pack |
| Incl. Thr Part No. HT67G nLi Telescop Incl. Thr Part No. GF60G GF45G nLi Telescop Telescop | Extended 6,63 m te® Conne bic Master Pc ead Adapter Extended 6,00 m 4,50 m te® Conne pic Master Po | 1,87 m ct GLASS le. Highest r and Endcap. Collapsed 1,71 m 1,34 m ct ALUMI ole. Exceller | 4 FIBRE M igidity in its Ultimate ma Sections 4 4 NIUM MA at rigidity the | 1,7 kg ASTER F class. terial strer Weight 1,7 kg 1,4 kg STER P(anks to mo | 35 mm POLE Ingth: 70 GPa* Bottom Ø 35 mm 35 mm | Pack 1 1 1 1 1 1 | HT35G IL Telesci Yellow Part Nu GF30G IL nology. Telesci | 3,41 m ite® Conne pic Extension isual warning b. Extended 3,00 m | 1,91 m ct GLASS Pole. area to avoid Collapsed 1,69 m ct ALUMII Pole. | 2 FIBRE EX d unintention Sections 2 NIUM EX | 0,9 kg XTENSIO hal separati Weight 0,9 kg TENSION | 35 mm N POLE on. Bottom Ø 35 mm | 1 Pack |
| Incl. Thr Part No. HT67G nLi Telescop Incl. Thr Part No. GF60G GF45G nLi Telescop Incl. Thr Telescop | Extended 6,63 m te® Conne bic Master Pc ead Adapter Extended 6,00 m 4,50 m te® Conne pic Master Pr ead Adapter | 1,87 m ct GLASS le. Highest r and Endcap. Collapsed 1,71 m 1,34 m ct ALUMI ble. Exceller and Endcap. | 4 FIBRE M igidity in its Ultimate ma Sections 4 4 NIUM MA NIUM MA at rigidity th. Ultimate m | 1,7 kg ASTER F class. terial strer Weight 1,7 kg 1,4 kg STER P(anks to mo aterial stre | 35 mm POLE agth: 70 GPa* Bottom Ø 35 mm 35 mm DLE odern constru- ength: 30 GPa* | Pack 1 1 1 | HT35G IL Yellow Part Nu GF30G IL nology. Telescr Yellow | 3,41 m ite® Conne pic Extension visual warning . Extended 3,00 m ite® Conne pic Extension visual warning | 1,91 m ct GLASS Pole. area to avoid Collapsed 1,69 m ct ALUMII Pole. area to avoid | 2 FIBRE EX d unintention Sections 2 NIUM EX d unintention | 0,9 kg XTENSIO hal separati Weight 0,9 kg FENSION hal separati | 35 mm N POLE on. 35 mm I POLE on. | 1 Pack 1 |
| Incl. Thr Part No. HT67G nLi Telescop Incl. Thr Part No. GF60G GF45G nLi Telescop Telescop | Extended 6,63 m te® Conne bic Master Pc ead Adapter Extended 6,00 m 4,50 m te® Conne pic Master Pr ead Adapter | 1,87 m ct GLASS le. Highest r and Endcap. Collapsed 1,71 m 1,34 m ct ALUMI ole. Exceller | 4 FIBRE M igidity in its Ultimate ma Sections 4 4 NIUM MA NIUM MA at rigidity th. Ultimate m | 1,7 kg ASTER F class. terial strer Weight 1,7 kg 1,4 kg STER P(anks to mo | 35 mm POLE agth: 70 GPa* Bottom Ø 35 mm 35 mm DLE | Pack 1 1 1 1 1 1 | HT35G IL Telesci Yellow Part Nu GF30G IL nology. Telesci | 3,41 m ite® Conne pic Extension visual warning . Extended 3,00 m ite® Conne pic Extension visual warning | 1,91 m ct GLASS Pole. area to avoid Collapsed 1,69 m ct ALUMII Pole. | 2 FIBRE EX d unintention Sections 2 NIUM EX d unintention | 0,9 kg XTENSIO hal separati Weight 0,9 kg TENSION | 35 mm N POLE on. Bottom Ø 35 mm | 1 Pack |

*GPa (Gigapascal) is a unit of measure of material strength.

WATER FED POLE SYSTEM **GOOSENECKS & ACCESSORIES**



nLite® GOOSENECKS

For attaching the brushes to UNGER nLite® Water Fed Poles. Our carbon fibre gooseneck attachments will allow you to reach virtually any surface for cleaning, whilst keeping weight to a bare minimum for easier brush control. The full-carbon fibre **nLite**[®] Goosenecks are made from



seamless, lightweight, super solid carbon fibre tube. The premium quality carbon fibre material is built to last, and ensures a long life and guaranteed results. Compatible with most water fed brushes featuring standard thread.

nLite® MULTILINK GOOSENECKS

Superlight carbon fibre goosenecks.

 Use individually or combine 2 or more to achieve any angle
 NLG20 and NLG30 include nLite® Thread Adapter for attaching the brush NLG15 includes adjustable plastic angle adapter

| Part No. | Size | Weight | Material | Pack |
|----------|--------|--------|----------|------|
| Faitinu. | Size | weight | Material | Fack |
| NLG20 | 20 cm | 130 g | Carbon | 1 |
| NLG30 | 30 cm | 140 g | Carbon | 1 |
| NLG15 | 150 cm | 390 g | Hybrid | 1 |

Pack

1

HiFlo MultiLink ADAPTER

- Plastic angle adapter with screw adjustment.
- Simple to adjust - Robust

Part No.

FTGOS

- Compatible with all HiFlo Brushes

nLite® KIT & BAG

NLG15





WATER FED POLES **ACCESSORIES**





nLite® HOSE

Durable hose for water supply from water filter to the Brush.

 Complete with standard hose connector for water supply
 NLH25 high performance hose for R040C including connector for connection kit NLHPA

| Part No. | Length | Inner Ø | Pack |
|----------|--------|---------|------|
| NL11G | 11 m | 5 mm | 1 |
| NL20G | 20 m | 5 mm | 1 |
| NL25G | 25 m | 5 mm | 1 |
| NLH25 | 25 m | 8 mm | 1 |





nLite® HOSE EXTENSION KIT 5MM

Adapters for connection of two 5 mm hoses into one.

- Includes 2 x Hose End Pieces, 1 x Quick Connector t using the Quick Connector

| – Insert the | e Hose End Pieces into each nose ar | ia connect using the Qui | CK Connector |
|--------------|-------------------------------------|--------------------------|--------------|
| Part No. | | Pack | |
| NLQUI | | 1 | |
| | | | |
| | | | |
| | | | |
| | ESS! | | |
| | - | | |

TDS METER

Handheld Total Disolved Solids (TDS) meter for measuring water hardness. - Measures water hardness instantly in ppm (parts per million).

- Battery powered
- Includes protective leather pouch

| Part No. | Pack | |
|----------|------|--|
| ROTDS | 1 | |



- Perfect to lifting stubborn dirt and greasy residue from heavily soiled surfaces
- Simple connection to standard garden hose
- Easy to refill and adjust concentration


Part No.

HCDEU


Pack 1

WATER FED POLE SYSTEM **BRUSHES**

nLite® & HiFlo BRUSHES







nLite[®] & HiFlo BRUSHES

| | WEIGHT | | SIZE BRUSH BODY | | | | BRISTLES | ; | | JETS | | | | |
|--|--------|-------------------------|---------------------------|-------------------------|--|------------------------|--------------|---|--------------|----------------------------|----------|---------------|-----------------|------------|
| | | Brush only | Incl. adapter/ jets | | Material | Format | Jet Pos. | Material | Soft/Hard | Length | Flexible | Mate- rial | Fan & Pencil | _ O |
| nLite® BOAR NLE27 BRISTLE BRUSH NLE40 | *** | 359 g* 466 g* | 403 g* 510 g* | 27 cm 40 cm | Plastic porous core smooth solid skin | | 4 8 | Natural boars bristle | Soft | 8 cm* | 1 | Plastic | Fan & Pencil | p. 33 |
| nLite® RADIUS NLR27 BRUSH NLR20 | *** | 364 g 535 g | 408 g 579 g | 27 cm 40 cm | Plastic porous core smooth solid skin | | 4 8 | Solvent resistant synthetic bristles | Medium | 7,5 cm 8,5 cm | 1 | Plastic | Fan & Pencil | p. 33 |
| nLite® SOLAR RADIUS BRUSH NL27Y NL40Y NL60Y | *** | 364 g 535 g 872 g | 408 g 579 g 916 g | 27 cm 40 cm 60 cm | Plastic porous core smooth solid skin | | 4 8 12 | Solvent resistant synthetic bristles | Medium | 7,5 cm 8,5 cm 9,5 cm | 1 | Plastic | Fan & Pencil | p. 33 |
| RECTANGULAR NL27A BRUSH NL40A | *** | 270 g 408 g | 314 g 452 g | 27 cm 40 cm | Plastic porous core smooth solid skin | | 4 8 | Solvent resistant synthetic bristles | Medium | 7,5 cm 8,5 cm | 1 | Plastic | Fan & Pencil | p. 33 |
| HIFLO SOLAR BRUSH FTSOY | ** | - | 490 g | 27 cm | Solid plastic | A THE REAL PROPERTY OF | 2 | Synthetic bristles | Soft | 5 cm | - | Brass | Pencil | p. 34 |
| HiFlo RECTANGULAR FT527 BRUSH | ** | - | 490 g | 27 cm | Solid plastic | | 2 | Synthetic bristles | Soft | 5 cm | - | Brass | Pencil | p. 34 |
| HIFLO RADIUS BRUSH FIR27 FBR27 | ** | - | 560 g | 27 cm | Solid plastic | | 2 | Synthetic bristles | Soft hard | 5 cm | - | Brass | Pencil | p. 34 |
| HIFLO DVAL BRUSH FT027 FT040 | ** | - | 450 g 690 g | 27 cm 40 cm | Solid plastic | | 2 | Synthetic bristles | Soft | 5 cm | - | Brass | Pencil | p. 34 |
| HIFLO CARBON TEC CT27A BRUSH CT40A | ** | - | 347 g 380 g | 27 cm 40 cm | Solid plastic | | 2 | Synthetic bristles | Hard | 5 cm | - | Brass | Pencil | p. 34 |

* app. 10 % tolerance deviation possible with natural bristles

PURCHASING GUIDE

1. WEIGHT:

Choose lighter brush for longer periods of work.

2. SIZE: 3. BRISTLES:

27 cm for standard applications; 40 cm for large areas; 60 cm for special applications, e.g. solar panel cleaning. Consider the type of surface and level of soiling - see brush bristle guide overleaf for details.

4. SHAPE:

5. JETS:

Rectangular - universal shape, ideal for any straight surface. Radius brush is perfect for window sills and frames. Consider the size of the area and type of glass to be cleaned, as well as water pressure available - see overleaf for information on jets types and using more than 2 jets.

ATTENTION: Some surfaces are easily scratched. Always test brushes prior to use.

WATER FED POLE SYSTEM **BRUSHES**

nLite[®] BRUSHES

nLite[®] BRUSHES

Superlight **UNGER** Brushes are designed to get into the smallest corners and lift dirt from surfaces with a highly effective scrubbing action. The **nLite**[®] Brush body features cutting edge engineering and design, with a porous core and smooth solid exterior skin it offers enhanced structural stability and lighter weight than solid brush block manufacturing.




JETS

Whereas conventional brushes usually only have two jets, **nLite®** Brushes feature up to twelve quick release jets, making it much easier to control the water flow and rinse surfaces.

JET TYPES

Pencil Jets for Hydrophilic Glass Fan Jets for Hydrophobic Glass



İ BRISTLE TYPES:



NATURAL BOAR BRISTLE: Coarse to the touch, naturally split along the length, each fibre cleans the surface with its entire body, effectively removing dirt from the tiniest of crevices.



POLYESTER BRISTLES: Lightweight and highly durable.

YELLOW POLYESTER, featured on solar brushes, will remove even stubborn dirt yet are gentle enough not to damage delicate surface of the PV-/Solar panels.

ADDING MORE JETS

Create variety of spray patterns with up to 12 locations for interchangeable, quick release Fan or Pencil Jets.


Mix and match the Jets, depending on the type and size of surface you clean, for example 2 Fan Jets and 2 Pencil Jets.

One set of Pencil Jets is included as standard with every Brush.

PRESSURE GUIDE

Adding more jets allows you to clean larger areas quicker and better.

The number of jets you can use depends on the level of water pressure – the higher the water pressure, the higher the number of jets you can use at one time.







nLite[®] BOAR BRISTLE BRUSH

Superlight water fed brush with premium boar bristle.

Excellent cleaning performance without chemicals
 Variable locations for interchangeable quick release jets

Plastic porous core brush body for lighter weight

| Part No. | Size | Weight | Jet Pos. | Pack |
|----------|-------|--------|----------|------|
| NLE27 | 27 cm | 403 g | 4 | 1 |
| NLE40 | 40 cm | 510 g | 8 | 1 |

BOARS BRISTLE

NL27Y NL40Y NL60Y The best boars bristle had been sourced by **UNGER** specialists to produce the new **nLite**[®] Boar Bristle Brushes. Coarse to the touch, naturally split along the length, each fibre cleans the surface with its entire body, effectively removing dirt from the tiniest of crevices. Individually set by hand into the body of the Brush with epoxy resin, each bundle of bristles delivers unrivalled cleaning performance, without chemicals. The colour of natural bristles might be subject to change.

MAINTENANCE OF BOARSHAIR BRUSHES

Natural bristles must dry free hanging without touching the bristles.



| Superlight water fed brush with unflagged polyester bristles. – Curved brush body, ideal for cleaning window sills and frames – Variable positions for interchangeable quick release jets – Plastic porous core brush body for lighter weight – Yetlow bristle brushes are ideal for cleaning delicate surface of solar panels | | | | | | | | | | |
|--|-------|--------|----------|------|--|--|--|--|--|--|
| Part No. | Size | Weight | Jet Pos. | Pack | | | | | | |
| NLR27 🔵 | 27 cm | 408 g | 4 | 1 | | | | | | |
| NLR40 🔵 | 40 cm | 579 g | 8 | 1 | | | | | | |
| NL27Y 😑 | 27 cm | 408 g | 4 | 1 | | | | | | |
| NL40Y 😑 | 40 cm | 579 g | 8 | 1 | | | | | | |
| NL60Y | 60 cm | 916 q | 12 | | | | | | | |

| Superlight water fed brush with unflagged polyester bristles. – Straight body brush, ideal for any surface – Variable positions for interchangeable quick release iets | nLite® RECTANGULAR BRUSH | *** |
|--|---|-----|
| - Plastic porous core brush body for lighter weight | Straight body brush, ideal for any surface Variable positions for interchangeable quick release jets | |

| Part No. | Size | Weight | Jet Pos. | Pack |
|----------|-------|--------|----------|------|
| NL27A 🔴 | 27 cm | 314 g | 4 | 1 |
| NL40A 🔵 | 40 cm | 452 g | 8 | 1 |

i BRUSH ROTATION

NL27A NL40A

NLR27

NLR40

The brush body can be switched to a new position by rotating the brush socket through 180°. Switching the position of the brush socket can change the position and angle of the bristles and jets providing greater flexibility and control when cleaning and rinsing different surfaces, angles and structures.

and the second second



WATER FED POLE SYSTEM **BRUSHES**

HIFLO BRUSHES

| | P | HiFlo SOLAF | R BRUSH SOF | T ** |
|--------------------------------------|---|-------------|-------------|------|
| – Highly effectiv – Will not dama | ed bristles. gned for photovol e in removing dir ge the panel surfa hose connection | t ace | | |
| Part No. | Size | Bristles | Pack | |
| FTSOY | 27 cm | Soft | 1 | |





| Nylon grey monofilament bristles. |
|---|
| Back made of robust solid plastic |
| Complete with 1 x FTCBA and hose connection |
| – Available in two sizes |

| Part No. | Size | Bristles | Pack |
|----------|-------|----------|------|
| CT27A | 27 cm | Hard | 1 |
| CT40A | 40 cm | Hard | 1 |



| HIFLO RADIUS BRUSH ** | | | | |
|---|---|----------|--------------|--|
| Curved body Ideal for sills, | ed or hard, with u corners and fram hose connectior | | er bristles. | |
| Part No. | Size | Bristles | Pack | |
| FTR27 | 27 cm | Soft | 1 | |
| FBR27 | 27 cm | Hard | 1 | |



Soft, with flagged polyester bristles.

Very strongComplete with hose connection

- Available in two sizes

| Part No. | Size | Bristles | Pack |
|----------|-------|----------|------|
| FT027 | 27 cm | Soft | 1 |
| FT040 | 40 cm | Soft | 1 |

**

**

WINDOW CLEANING TRADITIONAL WINDOW CLEANING



All **UNGER** products are expertly designed to meet the high demands of the Professional Window Cleaning Industry.

Innovation and ergonomics are always at the forefront of our research and product development to enable professionals to work faster, more efficiently and above all safely.

Today our range includes wide selection of traditional handheld tools and accessories, built to last and withstand continuous use, day after day.

Most of our tools can be fitted to **UNGER** telescopic pole, allowing you to clean at heights of up to 10 m safely from the ground.

Look out for the **ErgoTec**[®] Locking Cone symbol, identifying products that can be locked securely on the pole with a quick-release button preventing falling off or spinning.



PREMIUM Top of the range product, loaded with features



BEST High on features bestseller



Standard version



GOOD Basic version. Good value option

SECURE FIT TO POLE

BETTER



PUSH ON / SCREW ON

These tools can be pushed on and screwed onto the ACME thread of the **UNGER** Cone to ensure tight and secure fit. The grooves on the **UNGER** Cone prevent the tools from twisting during work.



PUSH ON AND CLICK TO LOCK IN PLACE All tools with a slot in the handle and "LOCK" inscribed on it, securely lock onto the **ErgoTec**® Locking Cone. Eliminating twisting or dropping during work the **ErgoTec**® Locking Cone is a standard feature on all **OptiLoc** and **TelePlus** poles.



WINDOW CLEANING TRADITIONAL WINDOW CLEANING

Professional Window Cleaning

p. 37

p. 50



SQUEEGEES

UNGER squeegees feature comfortable handles, high quality rubber and various locking mechanisms for quick and easy change of the channel.

ErgoTec® NINJA, ErgoTec®, ErgoTec® SwivelLoc, S-Channel Plus, Pro, VisaVersa®, GC, UniTec, UniTec Light




UNGER washers are available in a choice of materials with different features and absorbency, as well as various T-Bar designs.

ErgoTec® NINJA, ErgoTec®, Alu, Swivel, UniTec, MicroStrip, Monsoon, Original, Pad



UNGER scrapers are perfect for removing stubborn dirt and glue reside. With various designs, safety features and blade sizes, there is an option to suit any budget and task.


ErgoTec[®] NINJA, ErgoTec[®], ProTrim, Trim



TELESCOPIC POLES

Lightweight, yet durable telescopic pole in various lengths put everything within arm's reach. Clean at heights of up to 10 m safely from the ground, without ladders.

OptiLoc, TelePlus, UniTec



Our extensive range includes everything to build up a professional kit – from protective gloves, belts and pouches to specialist detergents, buckets and cloths.

TRADITIONAL WINDOW CLEANING **SQUEEGEES**



SQUEEGEES

PRODUCT OVERVIEW Use the guide below to compare various models of **UNGER** Squeegees and identify the right one for your cleaning tasks and budget. BUDGET HANDLE SWIVEL CHANNEL RUBBER* O Fits to Tension Fitting Material Fitting Material Locking adjust-ment Sizes Туре Soft Hard Cone The ultimate high performance Metal squeegee, featuring TriLoc mecha-nism for reliable hold of channel 2k (Plastic /ith rubbe insert) **ErgoTec**[®] screw needs coin or screw-driver TriLoc: clip Side Clips on Ninja Channel 20 -T6 Alupress & release Molded 1 p. 38 _ and freely adjustable and lockable swivel head. Available in 30° and *** 105 cm minium NINJA 40° angle version. Superlight, hand-crafted carbon S-Spring press & release **ErgoTec**® fibre handle. 18 % lighter than bicomponent ErgoTec® squeegee Carbon fibre Press S-Spring _ _ p. 39 *** Carbon handle. Stainless steel squeegee with 2k bi-component handle. Advanced ergonomic design for comfortable use every day. Quick and simple S-Spring: press & release (Plastic with rubber 15 – 55 cm Stainless Steel Press S-Spring **ErgoTec**[®] *** 1 1 p. 39 Molded insert) channel change. Swivel squeegee head, freely Plastic ٥° adjustable and lockable – a problem solver for hard-to-reach areas. Available in 2 head angles – crew turn position fixable 2k (Plastic vith rubber 0°: screw off plate 30° press S-Spring screwed plate 30° **ErgoTec**[®] only handle 0° / 30° Stainless Steel Only handle p. 39 *** _ SwivelLoc straight and 30° version, ideal for working at height. insert) with button S-Spring Solid, stainless steel squeegee with rubber coated handle. Metal + S-Spring 15 -Stainless Steel S li J 1 Press ** Molded p. 39 Rubber press & release S-Spring for easy & quick channel 55 cm S-Spring sleeve and rubber change. Standard Squeegee for daily work. Metal + Rubber sleeve Clip lock easy release Clip for easy & quick channel and rubber change. Rubber sleeve for 15 _ Stainless Steel Pro li ** Molded 1 1 Open clip p. 39 55 cm comfortable grip. Squeegee and washer in one tool. Great time saving choice for clean-Plastic Finger grooves S-Spring press & release Visa-15 – 55 cm Stainless Steel Press S-Spring ** p. 39 Molded 1 1 ing at height - no need to change the tool! Versa® Screwed Plate Screw off plate 35 – 45 cm Classic style brass squeegee. * [i] GC Brass Brass Extruded 1 p. 41 Sturdy and durable. needs screwdrive Basic metal squeegee. 25 – 45 cm UniTec Stainless Saueezed Turn \star [i] 1 p. 41 Metal Extruded _ Quick channel release. by button Steel button Lightweight squeegee for glass UniTec Channel Alu-Fixed to \star [i] p. 41 Plastic 1 or flat surfaces, ideal for household by 30 cm Extruded minium channel Light hold use. handle

* Soft and Hard Rubber are interchangeable and available to order separately.

PURCHASING GUIDE

1. BUDGET:

1

4. CHANNEL:

5. RUBBER:

2. HANDLE: 3. SWIVEL FUNCTION: How long do you work, how large is the area, how many extra features do you need?

Weight, Feature, Ergonomics

Do you need to access hard to reach areas? Do you work with telescopic poles? How large is the surface to be cleaned? How important is a quick channel change? Soft or hard rubber? Professional quality or is standard quality enough?



This product securely locks on ErgoTec® Locking cone.

This product fits on **UNGER** Poles without safety locking mechanism.

37

TRADITIONAL WINDOW CLEANING SQUEEGEES





ErgoTec® NINJA WINDOW SQUEEGEE



Complete with NINJA Channel and professional soft rubber.

- Ergonomic handle with 180° swivel
- Handle with TriLoc mechanism for secure hold of the channel
 Extruded Aircraft Aluminum T6 Channel: will not bend or break
- Fits securely to pole with Locking Cone

| Part No. | Angle | Size | Rubber | Pack | |
|----------|-------|-------|--------|------|--|
| EN300 | 40° | 30 cm | Soft | 5 | |
| EN350 | 40° | 35 cm | Soft | 5 | |
| EN450 | 40° | 45 cm | Soft | 5 | |
| E3300 | 30° | 30 cm | Soft | 5 | |
| E3350 | 30° | 35 cm | Soft | 5 | |
| E3450 | 30° | 45 cm | Soft | 5 | |



angle versions



Locking Mechanism to secure the swivel head in center position





The center position can be locked by pressing the lock button

180°

Lock O^c

New and improved end clip mechanism



- Ergonomic swivel handle with 180° swivel - TriLoc mechanism for secure hold of the channel
- Fits securely to pole with Locking Cone

| Part No. | Angle | Pack |
|----------|-------|------|
| EN000 | 40° | 5 |
| E3000 | 30° | 5 |

i RUBBER INFO

| DEK | INFU | |
|-----|------|--|
| | | |
| | | |

Shore hardness: 53 ± 2

SOFT

- Ideal for colder temperatures
- Adjusts better to uneven surfaces





- Shore hardness: 60 ± 2
- Ideal for warmer temperatures
- Ideal for large, smooth surfaces



Pack

1

ErgoTec® CARBON HANDLE

🐩 🐩

₽/ĵ] ***

- The lightest professional squeegee handle.
- 18 % lighter than bicomponent ErgoTec® squeegee handle
 Made of premium carbon fibre: T700, 7 layers; S-Spring: High value stainless steel 1.4310 - Anti-slip coating for reliable grip
- Compatible with S-Channel and S-Channel Plus
 Fits securely to pole with Locking Cone
- Part No.

UCH00

ErgoTec® SQUEEGEE

Stainless steel squeegee with bi-component handle. - New handle with optimised S-spring

- Quick and simple channel change
- Fits securely to pole with Locking Cone
 Compatible with S-Channel and S-Channel Plus

| Part No. | Size | Rubber | Pack | |
|----------|---------|-----------|------|--|
| ES250 | 25 cm | Soft | 10 | |
| ES350 | 35 cm | Soft | 10 | |
| ES450 | 45 cm | Soft | 10 | |
| ES550 | 55 cm | Soft | 10 | |
| ES25H | 25 cm | Hard | 10 | |
| ES35H | 35 cm | Hard | 10 | |
| ES45H | 45 cm | Hard | 10 | |
| ES55H | 55 cm | Hard | 10 | |
| ETG00 | | Handle | 10 | |
| ETX00 | +2,5 cm | Handle XL | 10 | |

ErgoTec® SWIVEL LOC HANDLE

Swivel squeegee head, freely adjustable and lockable.

- Problem solver for hard to-reach places. - Advanced ergonomic bi-component handle for comfortable use
- Available in two head angles: 0° and 30°
- Compatible with S-Channel and S-Channel Plus
- Fits securely to pole with Locking Cone

| Part No. | Version | Pack | |
|-------------------|---------|------|------|
| LS000 | 0° | 5 | |
| LA000 | 30° | 5 | |
| | | | |
| S SQUEEGEE | | | / ** |

S SQUEEGEE

Stainless steel squeegee with rubber coated handle.

- Solid handle design
 Quick and simple channel change with S-Spring
- Fits on telescopic pole

- Compatible with S-Channel and S-Channel Plus

| Part No. | Size | Rubber | Pack |
|----------|-------|--------|------|
| SE250 | 25 cm | Soft | 10 |
| SE350 | 35 cm | Soft | 10 |
| SE450 | 45 cm | Soft | 10 |
| SE25H | 25 cm | Hard | 10 |
| SE35H | 35 cm | Hard | 10 |
| SE45H | 45 cm | Hard | 10 |
| SG000 | | Handle | 10 |
| | | | |

Pro SQUEEGEE

£ **

Stainless steel squeegee with rubber coated handle.

- Solid handle design

- Quick release clip for fast and easy channel change

- Fits on telescopic pole

| PR250 25 cm Soft 10 PR350 35 cm Soft 10 | - Compatible with S-Channel and S-Channel Plus | | | | | |
|---|--|-------|--------|------|--|--|
| PR350 35 cm Soft 10 | Part No. | Size | Rubber | Pack | | |
| | PR250 | 25 cm | Soft | 10 | | |
| PR/50 //5 cm Soft 10 | PR350 | 35 cm | Soft | 10 | | |
| 40 cm 3010 10 | PR450 | 45 cm | Soft | 10 | | |
| PR000 Handle 10 | PR000 | | Handle | 10 | | |



VisaVersa®

Squeegee and washer in one tool. Complete with S-Channel, Original Sleeve and professional soft rubber.

Time saving performance without changing tool

- Fits securely to pole with Locking Cone

| - compatible with 5-channel and 5-channel Flus | | | | | |
|--|-------|--------|-----------------|------|--|
| Part No. | Size | Rubber | Material | Pack | |
| VP250 | 25 cm | Soft | Blended fabric* | 10 | |
| VP350 | 35 cm | Soft | Blended fabric* | 10 | |
| VP450 | 45 cm | Soft | Blended fabric* | 10 | |
| | | | | | |

* Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

£ **

TRADITIONAL WINDOW CLEANING SQUEEGEE RUBBER & CHANNELS



| Pro SQUEE | GEE RUBBER | | | ** |
|---------------------------------|--|---------------------|----------|----|
| – Highly durab – Sharp edges | r storage box. Pro le and efficient enable thorough v c storage box keep | viping for superior | - finish | |
| Part No. | Size | Rubber | Pack | |
| RP350 | 35 cm | Soft | 25 | |
| RP450 | 45 cm | Soft | 25 | |
| RP35H | 35 cm | Hard | 25 | |
| RP45H | 45 cm | Hard | 25 | |





Pro SQUEEGEE RUBBER

10 rubbers per bag. Professional quality.

Highly durable and efficient
Sharp edges enable thorough wiping for superior finish

| Part No. Soft | Part No. Hard | Size | Pack |
|------------------|------------------|--------|------|
| RR200 | RR20H | 20 cm | 10 |
| RR250 | RR25H | 25 cm | 10 |
| RR350 | RR35H | 35 cm | 10 |
| RR450 | RR45H | 45 cm | 10 |
| RR550 | RR55H | 55 cm | 10 |
| RR650 | RR65H | 65 cm | 10 |
| RR750 | RR75H | 75 cm | 10 |
| RR920 | RR92H | 92 cm | 10 |
| RR990 | RR99H | 106 cm | 10 |

RUBBER INFO

Soft

- Shore hardness: 53 ± 2 - Ideal for colder
- temperatures - Adjusts better to uneven
- surfaces

Hard

- Shore hardness: 60 ± 2
- Ideal for warmer
- temperatures - Ideal for large, smooth
- surfaces

-plus

S-CHANNEL PLUS

Stainless steel channel with variable positioning options.

Complete with soft rubber. - Curved ends support the rubber at the edges for improved cleaning close to frame

- Strong and durable - Easy change of rubber

- Fits ErgoTec®-, S- and Pro-squeegees

| Part No. Size Rubber Pack UC300 30 cm Soft 10 UC350 35 cm Soft 10 UC450 45 cm Soft 10 | - | | - | |
|---|----------|-------|--------|------|
| UC350 35 cm Soft 10 | Part No. | Size | Rubber | Pack |
| | UC300 | 30 cm | Soft | 10 |
| UC450 45 cm Soft 10 | UC350 | 35 cm | Soft | 10 |
| | UC450 | 45 cm | Soft | 10 |



S CHANNEL

Stainless steel channel with variable positioning options.

Complete with soft and hard rubber.

Strong and durable

Easy change of rubber
 Fits ErgoTec[®]-, S- and Pro-squeegees

| - Fits Ergolec | | | | |
|----------------|-------|--------|------|--|
| Part No. | Size | Rubber | Pack | |
| NE250 | 25 cm | Soft | 10 | |
| NE300 | 30 cm | Soft | 10 | |
| NE350 | 35 cm | Soft | 10 | |
| NE450 | 45 cm | Soft | 10 | |
| NE550 | 55 cm | Soft | 10 | |
| NE15H | 15 cm | Hard | 10 | |
| NE25H | 25 cm | Hard | 10 | |
| NE30H | 30 cm | Hard | 10 | |
| NE35H | 35 cm | Hard | 10 | |
| NE45H | 45 cm | Hard | 10 | |
| NE55H | 55 cm | Hard | 10 | |

i



*



Sturdy and durable

- Firm channel fit with screws

| - 1115 011 101050 | ohic hore | | |
|-------------------|-----------|---------------|------|
| Part No. | Size | Info | Pack |
| GS000 | | Brass Handle | 10 |
| GC350 | 35 cm | Brass Channel | 10 |
| GC450 | 45 cm | Brass Channel | 10 |



HIGHWAY RUBBER

Cut to fit 15 m rubber roll. Household quality. - Convenient and practical

- Good value deal
 Cardboard box with easy rubber access

| Part No. | Size | Pack |
|----------|------|------|
| HIXXL | 15 m | 1 |



Plastic Clips

*

| For improved hold of rubber in the channel. Available in solid plastic or brass. |
|--|
| Effectively tensions and secures squeegee rubber |
| Detachable one at a time |
| Practical sturdy storage box |
| |

| Part No. | Info | Pack |
|----------|----------------------|------|
| PCLIP | Plastic Clips 40/Box | 10 |
| | Brass Clips 100/Box | |



Ergo HANDLE EXTENSION

Additional 20 cm reach for cleaning glass. – Offers additional reach for safer cleaning without ladders – Fits to all cone tools

| Part No. | Size | Pack |
|----------|-------|------|
| HH000 | 26 cm | 10 |



| Part No. | Size | Pack |
|----------|-------|------|
| SL010 | 55 cm | 10 |



UniTec SQUEEGEE

Convenient metal squeegee, good value.

- Sturdy

Firm channel fit with screws Fits on telescopic pole

| Part No. | Size | Info | Pack |
|----------|-------|----------|------|
| OW250 | 25 cm | Complete | 10 |
| OW350 | 35 cm | Complete | 10 |
| OW450 | 45 cm | Complete | 10 |
| OG000 | | Handle | 10 |
| | | | |



TRADITIONAL WINDOW CLEANING WASHERS

WASHERS



PRODUCT OVERVIEW

Use the guide below to compare various models of **UNGER** washers and sleeves and identify the right one for your cleaning tasks and budget.

T-BARS BUDGET HANDLE SWIVEL FUNCTION T-BAR 0 Fits to Swivel Head Tension adjustment Locking Cone Available Sizes Material Material Function Weight ErgoTec® *** 1 Plastic with rubber insert Screw Aluminium Very light 25 – 75 cm Swivel head p. 44 NIŇJA Plastic with rubber insert Ĩ ErgoTec[®] *** Plastic 25 – 45 cm p. 44 _ Light Water wells _ ** p. 44 Alu Plastic Aluminium Very light 15 – 55 cm Low weight _ _ li Swivel ** 1 Swivel head p. 44 Plastic Knob Aluminium Very light 35 – 45 cm E \star p. 44 UniTec Plastic Plastic Light 25 – 45 cm Water wells _ _

| | SLEEVES | | | | | | | |
|-------------------|---------|---|--|-----------------|----------------|-----------|-------|--|
| | BUDGET | MATERIAL | FEATURES | AVAILABLE SIZES | FASTENING | SCRUB PAD | _0 | |
| ErgoTec® NINJA | *** | 100 % polyamide* 70 % polyacrylic** 20 % polyethylene** 10 % polyamide** | Superb water absorbtion and scrubbing action | 25 – 75 cm | Hooks & Loops | 2 x | p. 45 | |
| MicroStrip | *** | 100 % polyamide* 100 % polyethylene** | High water retention - up to 6 times its own weight | 25 – 55 cm | Hooks & Loops | 1 x | p. 45 | |
| Monsoon | *** | 100 % polyamide* 70 % polyacrylic** 20 % polyethylene** 10 % polyamide** | High water retention | 15 – 55 cm | Hooks & Loops | 1 x | p. 45 | |
| Original | ** | 100 % polyethylene* 100 % polyacrylic** | Good cleaning power | 25 – 55 cm | Hooks & Loops | 1 x | p. 45 | |
| Pad | ** | 100 % polyethylene* 80 % polyacrylic** 20 % polyethylene** | Removes tough dirt | 35 + 45 cm | Hooks & Loops | - | p. 45 | |
| UniTec | * | 100 % polyester*/** | Standard cleaning power | 25 – 45 cm | Snap fasteners | - | p. 45 | |

* Support material ** Fibres







StripWasher® MICROSTRIP PAC

Complete washer with highly absorbent microfibre sleeve.

- Superior cleaning power
 Sleeve with side scrub pad is machine washable up to 500 times
- Lightweight plastic T-Bar with water wells fits securely to pole

| | | | , , |
|----------|-------|---------------|------|
| Part No. | Size | Material | Pack |
| NC350 | 35 cm | Microfibre*** | 10 |

| Part No. | Size | Material | Pack |
|----------|-------|---------------|------|
| NC350 | 35 cm | Microfibre*** | 10 |
| NC450 | 45 cm | Microfibre*** | 10 |



StripWasher® MONSOON STRIP PAC

- Complete washer with blended, extra long fibre sleeve.
- Excellent cleaning power
- Sleeve with side scrub pad is machine washable up to 500 times
- Lightweight plastic T-Bar with water wells fits securely to pole

| Part No. | Size | Material | Pack |
|----------|-------|-----------------|------|
| MC350 | 35 cm | Blended fabric* | 10 |
| MC450 | 45 cm | Blended fabric* | 10 |



StripWasher® ORIGINAL STRIP PAC

Complete washer with blended fabric sleeve.

Good cleaning power
Sleeve is machine washable up to 500 times

- Lightweight plastic T-Bar with water wells fits securely to pole

| ° ° | | | , , |
|----------|-------|--------------------|------|
| Part No. | Size | Material | Pack |
| WC250 | 25 cm | Blended fabric**** | 10 |
| WC350 | 35 cm | Blended fabric**** | 10 |
| WC450 | 45 cm | Blended fabric**** | 10 |



180° Lock 0

Swivel function: Perfect for polework

and hard-to-reach-areas

The center position can be locked by pressing the lock button

ErgoTec® NINJA WINDOW WASHER

Complete with NINJA Washer T-Bar and highly absorbent sleeve with Microfibre.

- Ultimate cleaning performance. Sleeve is machine washable up to 500 times
 Sleeve with rows of scrubbing fibres and 2 abrasive side pads
- Strong yet lightweight hard anodised aluminium T-Bar with 180° swivel function
- Fits securely to pole with Locking Cone

| Part No. | Size | Material | Pack |
|----------|-------|-----------------|------|
| NA350 | 35 cm | Blended fabric* | 5 |
| NA450 | 45 cm | Blended fabric* | 5 |



Complete washer with blended fabric sleeve and scrub pad strip.

StripWasher® PAD STRIP PAC

- Removes tough dirt

Sleeve with scrub pad is machine washable up to 500 times
 Lightweight plastic T-Bar with water wells fits securely to pole

| Part No. | Size | Material | Pack |
|----------|-------|----------------------|------|
| RC350 | 35 cm | Scrub Pad + Fabric** | 10 |
| RC450 | 45 cm | Scrub Pad + Fabric** | 10 |

* Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide ** Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene

*** Support material: 100 % polyamide; Fibres: 100 % polyethylene **** Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

43

TRADITIONAL WINDOW CLEANING WASHER T-BARS



ErgoTec® NINJA T-BAR



Durable, lightweight hard anodized aluminium T-Bar.

Ergonomic bi-component handle with 180° swivel and lock function
 Superior performance without causing excessive strain on arms and shoulders
 Fits securely to pole with Locking Cone

| Part No. | Size | Pack |
|----------|-------|------|
| NI250 | 25 cm | 5 |
| NI350 | 35 cm | 5 |
| NI450 | 45 cm | 5 |
| NI550 | 55 cm | 5 |
| NI750 | 75 cm | 5 |



StripWasher® ALU T-BAR

₽/ **

/i] *

Lightweight solid aluminium T-Bar with plastic handle. Finger grooves on the handle for secure grip
 Fits securely to pole with Locking Cone

| - | гиз | Seci | urety | ιυ | pole | with | LUCKING | COII |
|---|-----|------|-------|----|------|------|---------|------|
| | | | | | | | | |

| Part No. | Size | Pack | |
|----------|-------|------|--|
| AT150 | 15 cm | 10 | |
| AT250 | 25 cm | 10 | |
| AT350 | 35 cm | 25 | |
| AT450 | 45 cm | 25 | |
| AT550 | 55 cm | 10 | |



Lightweight monolithic plastic T-Bar.

Water wells for increased water retention
 Fits securely to pole with Locking Cone

| - Fils securely to po | le with Locking Cone | | |
|-----------------------|----------------------|------|--|
| Part No. | Size | Pack | |
| 0E250 | 25 cm | 10 | |
| 0E350 | 35 cm | 10 | |
| 0E450 | 45 cm | 10 | |

StripWasher® ErgoTec® T-BAR Durable plastic T-Bar with ergonomic bi-component handle.

Water wells for increased water retention
Fits securely to pole with Locking Cone

| Part No. | Size | Pack |
|----------|-------|------|
| EH250 | 25 cm | 10 |
| EH350 | 35 cm | 10 |
| EH450 | 45 cm | 10 |



WASHER SLEEVES



ErgoTec® NINJA WASHER SLEEVE

Blended fabric sleeve with 2 abrasive side pads and hooks & loops fastener.

- Ultimate cleaning performance - With rows of scrubbing fibres for effective removal of stubborn dirt

 High water retention - Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|-------|-------------------|------|
| NJ250 | 25 cm | Blended fabric*** | 5 |
| NJ350 | 35 cm | Blended fabric*** | 5 |
| NJ450 | 45 cm | Blended fabric*** | 5 |
| NJ550 | 55 cm | Blended fabric*** | 5 |
| NJ750 | 75 cm | Blended fabric*** | 5 |

StripWasher® MICR0 SLEEVE

Microfibre sleeve with scrub pad and hooks & loops fastener.

SUCCEST.

**

**

Superior cleaning power
High water retention – up to 6 times its own weight - Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|-------|----------------|------|
| NS250 | 25 cm | Microfibre**** | 10 |
| NS350 | 35 cm | Microfibre**** | 10 |
| NS450 | 45 cm | Microfibre**** | 10 |
| NS550 | 55 cm | Microfibre**** | 10 |

StripWasher® MONSOON SLEEVE

Blended fabric sleeve with extra long fibres, scrub pad and hooks & loops fastener. - Excellent cleaning power

- High water retention - Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|-------|-------------------|------|
| MS150 | 15 cm | Blended fabric*** | 10 |
| MS250 | 25 cm | Blended fabric*** | 10 |
| MS350 | 35 cm | Blended fabric*** | 10 |
| MS450 | 45 cm | Blended fabric*** | 10 |
| MS550 | 55 cm | Blended fabric*** | 10 |



StripWasher® UniTec SLEEVE

Synthetic fibre washer sleeve with snap fasteners.

- Good cleaning power - Good value deal

- Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|-------|---------------|------|
| ON250 | 25 cm | Polyester**** | 10 |
| ON350 | 35 cm | Polyester**** | 10 |
| ON450 | 45 cm | Polyester**** | 10 |

* Support material: 100 % polyethylene; Fibres: 100 % polyacrylic

** Support material: 100 % polyethylene; Fibres: 80 % polyacrylic, 20 % polyethylene





| Part No. | Size | Material | Pack |
|----------|-------|-----------------|------|
| WS250 | 25 cm | Blended fabric* | 10 |
| WS350 | 35 cm | Blended fabric* | 10 |
| WS450 | 45 cm | Blended fabric* | 10 |
| WS550 | 55 cm | Blended fabric* | 10 |

| | And the second second | |
|-------------|-------------------------|--|
| Contraction | StripWasher® PAD SLEEVE | |
| | | |

Blended fabric standard sleeve with scrub pad strip and hooks & loops fastener. Time efficient cleaning of heavily soiled surfaces
Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|-------|----------------------|------|
| RS350 | 35 cm | Scrub Pad + Fabric** | 10 |
| RS450 | 45 cm | Scrub Pad + Fabric** | 10 |

*** Support material: 100 % polyamide; Fibres: 70 % polyacrylic, 20 % polyethylene, 10 % polyamide **** Support material: 100 % polyamide; Fibres: 100 % polyathylene ***** Support material: 100 % polyamide; Fibres: 100 % polyathylene

*

TRADITIONAL WINDOW CLEANING GLASS SCRAPERS



UNGER SCRAPERS

The **UNGER GLASS SCRAPERS** with carbon or stainless steel reversible blades, featuring 2 sharp edges, are perfect for removing bird droppings, paint, tape, stickers and postconstruction debris from the glass.

The **UNGER SURFACE SCRAPERS** with reversible stainless steel blades, featuring 1 sharp and 1 blunt edge, are great for heavy duty applications. Use the blunt edge to remove stubborn dirt, including cement and stucco.

UNGER PREMIUM GLASS SCRAPER BLADES STAINLESS STEEL



- Durable dual-sided replacement scraper blades are made from rust resistant 440A grade stainless steel which provides excellent edge retention and break resistance, ensuring that blades stay sharp for a long time.
- Each blade undergoes a precise angle honing process, creating a razor sharp and consistent cutting angle, enhancing the speed and effectiveness of every scraper pass.
- Perfect for removing paint, decals, tape, heavy soil and debris from glass surfaces, as well as construction clean up.
- Compatible with most flat or angled 10 cm (4") or 15 cm (6") scrapers.

1 UNGER CARBON STEEL BLADES

- Made of extra-sharp carbon steel and each blade is 4-way sharpened
- Two sharp sides for twice the wear on selected scraper blades
- Both sides lacquered for longer rust protection
- Individual wrapping in wax paper helps to protect blades from rusting and sticking together
- Safely packed and stored in convenient plastic dispenser. Blades remain dry and always available in safe dispenser



ErgoTec®



| Part No. | Blade | Pack |
|----------|-------|------|
| EN100 | 10 cm | 5 |
| EN150 | 15 cm | 5 |





Switch the angle of the scraper head from 0 to 30° at the touch of a button!



Scraper includes removable protective blade cover



Safer and easier blade change – push slider release lock to access and change blade



Practical Holster & Scraper Combo



ErgoTec® NINJA HOLSTER

Made of durable solid plastic, the Holster is built to withstand frequent contact with sharp blades thanks to its integrated stainless steel strike plate. - Fits to most standard tool belts

- Fits the scraper with or without protective cap

| Part No. | Compatible | Pack | |
|----------|------------------------------|------|--|
| HT150 | Fits 10 cm and 15 cm scraper | 5 | |

| GLASS SC S STEEL | RAPER BLADES | 2 1 | |
|---------------------|--------------------|----------|--|
| Blade | Info | Pack | |
| 10 cm | 1 case = 25 blades | 10 cases | |
| 15 cm | 1 case = 25 blades | 10 cases | |
| | | | |

Also fits ErgoTec[®], ProTrim and Trim scrapers

PREMIUM

STAINLES

Part No.

ENB10

ENB15

TRADITIONAL WINDOW CLEANING GLASS SCRAPERS


| 4 CM, S | INGLE S | HARP EDGE BLADE | | |
|----------------------|--------------------------------|-------------------------------------|---------------|--------------|
| | | | | |
| | | | 1 | |
| | | and the second | SR03K | - |
| | | R20K | SR04K | |
| | 5 | R50K | | - |
| ErgoTec [®] | SAFETY | SCRAPER | | *** |
| Ergonomic s | scraper with | n safety mechanism. RB20, SRBDB. | | |
| – Single sha | rp edge bla etal with ru | de bber grip, sturdy and durable | | |
| Part No. | Size | Info | Pack | |
| SR03K | 4 cm | 20 in a box | 20 | |
| SR04K | 4 cm | 50 in a display box | 50 | |
| CAELTA | | | | *** |
| SAFETYS | | | | ** |
| | | h safety mechanism. RB20, SRBDB. | | |
| – Single sha | rp edge bla | | | |
| | etal, sturdy le blade for s | | | |
| Part No. | Size | Info | Pack | |
| SR20K | 4 cm | 20 in a box | 20 | |
| SR50K | 4 cm | 50 in a display box | 50 | |
| MINI SCR | APER | | | * |
| - Extremely | handy - fits | | | |
| – Single edg | | , | | |
| Part No. | Size | Info | Pack | |
| STMIN | 4 cm | In a plastic bucket | 100 | |
| | | | | |
| | | | | |
| | | | | |
| 5 0 | - | | | |
| CARBON | STEEL B | LADES FOR GLASS SCRAF | PERS 4 cm | *** |
| For SR03K. | SR04K, SR2 | OK, SR50K, STMIN. | | |
| | e razor blac | le with aluminium holder | | |
| | | enser with tray for old blades | | |
| Part No. | Size | Info | Pack | |
| SRB10 | Size 4 cm | Info 100 loose blades | Pack 1 box | |
| SRB10 SRB20 | 4 cm 4 cm | 250 blades (50×5) | 1 box | |
| SRBZU | 4 cm 4 cm | | | |
| JKDUB | 4 CM | 480 blades (48×10 in dispenser) | 48 disp. | |
| | | 50 | 48 | and a second |
| 100 100 | 1 | | 48 | |
| | | | AC (7) | 1990 |
| 100 | - | ×5 | ×10 | - |
| | 2 | | | |

SRB20

[] *** ErgoTec® GLASS SCRAPER Large surface blade with ergonomic bi-component handle. Spare blades: TR100 (10 cm), TR150 (15 cm). - Reversible sharp blade Simple slide blade change, with protective cap for safety
 Fits securely to pole with Locking Cone Part No. Size Pack Info EG100 10 cm Packed in a display box 10 EG150 15 cm Packed in a display box 10 **PROTRIM 10** The convenient lightweight scraper for every day. Spare blades: TR100, KL100. - Convenient and compact - Retractable blade for safety - Blade replacement and cleaning at push of a button Part No. Size Pack Info TX100 10 cm Packed in display box 10 TRIM 10+1 stainless steel glass scraper. In practical plastic box, with 10 blades. Spare blades: TR100, KL100. - Strong stainless steel - Fits in UNGER squeegee handles - Folding mechanism for safety Part No. Size Info Pack TM100 1 case = 1 holder+10 blades 10 cm 10 cases TH100 10 cm 1 box = 25 holder in bundles of 5 25 · Low - mar 1 - 1 CARBON STEEL BLADES FOR GLASS SCRAPERS 10/15 cm *** Carbon steel blades with reversible sharp edges. For TX100, EG100, EG150, TM100, EN100, EN150.

10/15 CM, REVERSIBLE SHARP BLADE

| Part No. | Size | Info | Pack |
|----------|-------|---------------------------------|----------|
| KL100 | 10 cm | 250 loose blades | 1 box |
| TR100 | 10 cm | 250 blades (10 cases×25 blades) | 10 cases |
| TR150 | 15 cm | 250 blades (10 cases×25 blades) | 10 cases |



www.ungerglobal.com

SRBDB

SRB10

SURFACE SCRAPERS



10 CM, REVERSIBLE SHARP/BLUNT EDGE BLADE



ErgoTec® SCRAPER

Ergonomic surface scraper with bi-component handle. Spare blades: RB100. Advanced ergonomic handle design for comfortable use - Angled, heavy metal head with reversible sharp/blunt edge blade Part No. Size Pack

| SH000 | 10 cm | 10 |
|-------|-------|----|
| 1.1 | | |



→ EXPERT TIPS

i

- Check if glass is scratch-resistant and suitable for scraper use. Unsuitable for use on Plexiglas, crown glass, solar glass, safety glass (ESG). Follow the manufacturer's care instructions
- Perform a scrape test in advance on an inconspicuous section
- Before starting work, check the glass for damage and report it, if necessary
- Check the blade for damage and change it, if necessary, or reverse it
- The surface to be scraped should always be wet
- It is best to use a release agent, e.g. "UNGER's Liquid"
- Always scrape in one direction! Never pull the scraper back scratch risk!
- After scraping, check if adhesive or stucco residues are stuck to blade. If necessary, change or reverse blade

ATTENTION! UNGER blades are razor-sharp. Always handle with greatest care.





STAINLESS STEEL BLADES FOR SURFACES

Reversible sharp/blunt edge stainless steel blade. For SH000, SH250

- Sharp edge for scraping off paint, stickers, etc.
- Blunt side for removing cement and stucco Compact dispenser stores new and used blades
 Blades easily slide in and out of dispenser

| Part No. | Size | Info | Pack | |
|----------|-------|----------------------------|---------|--|
| RB100 | 10 cm | 1 dispenser = 10 blades | 10 disp | |



TRADITIONAL WINDOW CLEANING TELESCOPIC POLE SYSTEM



AVOID WORKING ON LADDERS

- **UNGER** telescopic poles allow you to work safely reaching up to 10 m height, while standing on the ground
- The **UNGER ErgoTec**[®] Locking Cone ensures safer operation, since the tools lock in place and cannot drop
- Most accidents with ladders are caused by wrong handling, and not their damage
- Always check whether cleaning from the ground is a safe option. If not, discuss safe alternatives and corresponding costs with your client
- Always insist on safe working conditions. Do not risk your life just because the client does not accept certain services!
- Always choose the safest way. Ladders should not automatically be first choice simply due to convenience
- Ladders become extremely unsafe under certain conditions: Rain makes the ground slippery; uneven ground or contaminations can result in tilting, or even falling

TELESCOPIC POLE SYSTEM

Safety at the highest level.

UNGER telescopic poles have always been the ideal tool for the job when it comes to making professional glass cleaning from the ground easier – and in addition save time and money.

NEW: OptiLoc

For even more ease of use and handling, **UNGER** has now further optimised its **OptiLoc** telescopic poles. Thanks to the new 2-component twist lock, this new generation of **OptiLoc** telescopic poles offers many advantages.


- 2 or 3 section telescopic pole
- Available in 9 different lengths
- Reach in excess of 9 m (30 ft)
- (max. pole length 9 m (30 ft) + body height)
- Weight and rigidity perfectly balanced
- ErgoTec® Locking Cone included

TelePlus System

- Extendable modular telescopic pole
- 2 section basic poles
- Extensions 1,25 m (4 ft) or 2,00 m (6,5 ft) simply attach
- Reach in excess of 10 m (32 ft) (max. pole length 10 m (32 ft) + body height)
- ErgoTec[®] Locking Cone included

UniTec

- 2 section telescopic pole
- Available in 3 different lengths
- Interior lock, twist right or left for locking
- Reach in excess of 4 m (13 ft) (max. pole length 4 m (13 ft) + body height)



OPTI LOC





NEWHANDLEDESIGN

- Better haptic properties due to 2-component surface
- Ergonomic and secure grip even in wet conditions





- Safe stand when you set the OptiLoc telescopic pole down
- Protects from damage



ERGOTIEG® LOCKINGCONE

- Compatible with all UNGER tools.
- Prevents tools from falling down
- Fast and easy tool change






• Easier to open and close

• Better grip even with wet hands

TRADITIONAL WINDOW CLEANING TELESCOPIC POLE SYSTEM



OPTI LOC

OptiLoc POLE, 2 SECTIONS

| With bi-component handles and twist locks, with ErgoTec® Locking Cone. | | | |
|--|--------|--|--|
| Part No. | Size | | |
| EZ120 | 1,25 m | | |
| EZ250 | 2,50 m | | |
| EZ300 | 3,00 m | | |
| EZ400 | 4,00 m | | |
| EZ500 | 5,00 m | | |
| EZ600 | 6,00 m | | |

OptiLoc POLE, 3 SECTIONS

With bi-component handles and twist locks, with ErgoTec® Locking Cone.

NEW!

| Part No. | Size | |
|----------|--------|--|
| ED180 | 1,85 m | |
| ED370 | 3,75 m | |
| ED450 | 4,50 m | |
| ED600 | 6,00 m | |
| ED750 | 7,50 m | |
| ED900 | 9,00 m | |

TELE PLUS

| TelePlus | POLF | 1 25 m | SECTIONS |
|-----------|--------|---------|----------|
| Teter tub | I ULL, | 1,20111 | |

| Modular Telescopic pole with ErgoTec® Locking Cone. | | | |
|---|--------|----------|--|
| Part No. | Size | Sections | |
| TZ250 | 2,50 m | 2 | |
| TD370 | 3,70 m | 3 | |
| TV500 | 5,00 m | 4 | |
| TF620 | 6,20 m | 5 | |

| TelePius | POLE | 2 00 m | SECTIONS |
|----------|------|--------|----------|

| Modular Telescopic pole with ErgoTec® Locking Cone. | | | |
|---|---------|----------|--|
| Part No. | Size | Sections | |
| TZ400 | 4,00 m | 2 | |
| TD600 | 6,00 m | 3 | |
| TV800 | 8,00 m | 4 | |
| TF100 | 10,00 m | 5 | |

| TelePlus3 | EXTENSION |
|-----------|-----------|
| | |

| Extension Ø 29mm for 2 section poles. Ø 29 mm | | | |
|---|--------|--|--|
| Part No. | Size | | |
| T3120 | 1,25 m | | |
| T3200 | 2,00 m | | |

| TelePlus4 EXTENSION Extension Ø 33mm for 3 section poles. Ø 33 mm | | |
|--|--------|--|
| | | |
| T4120 | 1,25 m | |
| T4200 | 2,00 m | |

TelePlus5 EXTENSION

| Extension Ø 37mm for 4 section poles. Ø 37 mm | | | |
|---|--------|--|--|
| Part No. | Size | | |
| T5120 | 1,25 m | | |
| T5200 | 2,00 m | | |

ONE STAGE POLE, 1 SECTION

| With ErgoTec [®] Locking cone. Ø 21 mm | | | | |
|---|-------|--|--|--|
| Part No. | Size | | | |
| HH240 | 60 cm | | | |

UNI TEC

UniTec POLE, 2 SECTIONS

| Telescopic pole with standard nylon cone. | | | |
|---|--------|--|--|
| Part No. | Size | | |
| OS210 | 2,00 m | | |
| OS250 | 3,00 m | | |
| OS260 | 4,00 m | | |

ADAPTERS & MAINTENANCE





ANGLE JOINTS

Freely adjustable angle allows access to hard-to-reach places. - Available in sturdy zinc version or lightweight plastic version - Fits to telescopic pole

| Part No. | Version | Pack |
|----------|---------|------|
| CJA00 | Zinc | 5 |
| CJN00 | Plastic | 5 |



THREAD ADAPTER 1/2"

With 1/2" thread. Fits conventional brooms. - Adapter is inserted into pole and locks in place via stand spring

| Part No. | Pack | |
|----------|------|--|
| BE000 | 5 | |



| ErgoTec ® | LOCKING | CONE |
|------------------|---------|------|
| | | |

| Securely locks tools on the telescopic pole. |
|---|
| Compatible with all UNGER systems |
| |

- Quick and easy tool change via release button

Part No. NCAN0

Pack 5



Cone is inserted into pole and locks in place via stand spring

| Part No. |
|----------|
| NCA00 |

Part



5



THREAD ADAPTER FOR ALU-POLES

Anodized aluminium adapter for fitting the Pad Holder to aluminium poles.

- Fits into any UNGER aluminium pole with 21mm diameter - just click in

- Enables connection between aluminium poles and MultiLink Goosenecks,
- Extensions and Brushes

| Part No. | Pack |
|----------|------|
| AFAET | 5 |



Ideal for paint rollers, scrapers and other tools with up to $\ensuremath{\emptyset}$ 3cm handle. - Enables safe operation from the ground with secure tool handle lock Adjustable angle that locks securely via bolt with nut - Fits to telescopic pole Dort N Pack

5

| Part No. | |
|----------|--|
| PBR00 | |



For changing round light bulbs in high access areas without ladders. Rubber coated spring steel fingers. – Enables safer and faster bulb change from the ground - Fits to telescopic pole Part No. Pack BS010 5



FLOOD SUCKER

For changing flat light bulbs in high access areas without ladders. With suction cups.

Enables safer and faster bulb change from the ground
 Fits to telescopic pole

| | poto | |
|----------|------|--|
| Part No. | Pack | |
| FS000 | 5 | |



FIXI-SYSTEM

Innovative cleaning system, ideal for cleaning large and high surfaces such as boats and vehicles.

Firmly retains a sponge or cloth by tightening the locking collar

- Fits on telescopic pole

| – Stiff bristle brush effectively removes stubborn dirt | | | | | |
|---|---------|------|--|--|--|
| Part No. | Version | Pack | | | |
| FIXI0 | Clamp | 5 | | | |
| HBR00 | Brush | 5 | | | |
| SP010 | Sponge | 10 | | | |

53

TRADITIONAL WINDOW CLEANING GLASS CLOTHS

WINDOW MICROFIBRE CLOTH SYSTEM



CLEANING WITH MICROFIBRE

Microfibre is highly efficient in removing dirt, oils, embedded soils and bacteria from surfaces without chemicals due to its slightly abrasive fibre texture. When used dry the statically charged fibre attracts and holds dust in place, unlike cotton or paper cloths.

Highly absorbent microfibre requires less water and chemicals for effective cleaning, allowing a reduction in water and harsh chemical consumption.

Microfibre is hard wearing and reusable generating less waste for landfill disposal than cotton or paper disposable cloths.

ErgoTec® NINJA MICROWIPE

Best in Class premium lint free microfibre cloth.

- Fabric weight: 400 g/m²
- Double sided coarse for cleaning and smooth for polishing
- With 4 scrubbing corners for removing stubborn dirt
- Pocket corners for hanging the cloth on the pole for detailing at height
 Reinforced overlock stitch along the edges ensures shape retention
- Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|------------|-------------|------|
| MN40H | 40 x 40 cm | Microfibre* | 5 |
| MN55H | 55 x 55 cm | Microfibre* | 5 |
| MN60H | 80 x 60 cm | Microfibre* | 5 |



- Double sided coarse for cleaning and smooth for polishing
- Overlock stitch along the edges ensures shape retention
- Machine washable up to 500 times

| Part No. | Size | Material | Pack |
|----------|------------|-------------|------|
| MF40L | 40 x 40 cm | Microfibre* | 10 |
| MF60L | 60 x 80 cm | Microfibre* | 10 |



For polishing and spot cleaning of glass surfaces.

- Robust and durable
- Generous size for large surface. Washed scrim cloth size may vary slightly due to shrinking. - Versatile best seller

| Part No. | Size | Material | Pack |
|----------|------------|-------------|------|
| SCRM1 | 92 x 92 cm | 100 % Linen | 10 |

MICROWIPE LITE

Lint free microfibre cloth. - Fabric weight: 300 g/m²

- Super soft, easy to use low friction material - Overlock stitch along the edges ensures shape retention
- Machine washable up to 200 times

| Part No. | Size | Material | Pack |
|----------|------------|-------------|------|
| MF40E | 40 x 40 cm | Microfibre* | 10 |
| MF60E | 60 x 80 cm | Microfibre* | 10 |



* 70 % polyester, 30 % polyamide

GLOVES



GLOVES



NEOPRENE GLOVES

Get a grip on winter weather in these robust and durable gloves. Flexible lightweight Neoprene eep fingers warm, with adjustable hooks & loops fastener on wrist helping protect the hand from wind.

POLE GLOVES

glove size.

IDENTIFY YOUR GLOVE SIZE:

i

Premium quality Pole Gloves designed to enhance grip, associated with prolonged pole use.

Measure the circumference of your hand at the widest

Check our size guide charts on the right to identify your

point, right under the knuckles, excluding thumb.

ErgoTec® NEOPRENE GLOVES

Gloves for window cleaning, made of 3 mm thick textile neoprene.

- Tear resistant stitching and glue seal along seams for durability
 Knuckle inserts and flexible curved shape for ultra comfort
- Non slip palm with screened-on silicone for secure grip
- Adjustable hooks & loops wrist strap

| Part No. | Size | Hand circumference | Material | Pack |
|----------|------|--------------------|-------------------|------|
| GL02S | 7 | 18 – 19 cm | Neoprene, textile | 5 |
| GL02L | 8 | 20 – 21 cm | Neoprene, textile | 5 |
| GL02X | 9 | 22 – 23 cm | Neoprene, textile | 5 |
| GL02Z | 10 | 24 – 25 cm | Neoprene, textile | 5 |




NEOPRENE GLOVES

Gloves for window cleaning. Rubber Neoprene.

- Tear resistant stitching and glue seal along seams for durability
 Soft and comfortable on inside
- Non slip palm for secure grip
 Adjustable hooks & loops wrist strap

| Part No. | Size | Hand circumference | Material | Pack | |
|----------|------|--------------------|-------------------------|------|--|
| GLOV1 | 7 | 18 – 19 cm | Neoprene, rubberized | 10 | |
| GLOV2 | 8 | 20 – 21 cm | Neoprene, rubberized | 10 | |
| GLOV3 | 9 | 22 – 23 cm | Neoprene, rubberized | 10 | |
| GLOV4 | 10 | 24 – 25 cm | Neoprene, rubberized | 10 | |



POLE GLOVES

Premium quality gloves, extra robust for pole work.

While stocks last

- Ergonomic design for full hand movement and pole control
- Non-slip textured reinforcement panels on palm and fingers
- Teflon coated fabric for superior water resistance, with triple seams
- Adjustable hooks & loops wrist strap with hook and loop for secure fitting Webbing loop for added ease while putting glove on

| Part No. | Size | Hand circumference | Material | Pack |
|----------|----------|--------------------|-----------------|------|
| GLOC1 | S (8) | 19 – 21 cm | Blended fabric* | 5 |
| GLOC3 | XL (10) | 23 – 24 cm | Blended fabric* | 5 |
| GLOC4 | XXL (11) | 24 – 26 cm | Blended fabric* | 5 |

* Palm: 50 % polyester, 50 % polethylene; Back of the hand: 50 % nylon, 50 % polythylene

TRADITIONAL WINDOW CLEANING BELTS, POUCHES





| ErgoTec® POUCH | | | | | | |
|---|------------|-------|---|--|--|--|
| $3\ compartments.$ Dry and damp cloths can be stored separately. Front pocket with flap and hooks & loops fastener. | | | | | | |
| Part No. Size Material Pack | | | | | | |
| BSPOU | 30 x 37 cm | Nylon | 1 | | | |



| CANVAS | APRON |
|--------|-------|
|--------|-------|

- Keeps essential tools protected
 Great for working at height
 Includes adjustable belt

| Part No. | Material | Pack | |
|----------|----------|------|--|
| SRZ10 | Nylon | 10 | |



BUCKET ON A BELT

Durable plastic holder for squeegee, washer, scraper.

Conveniently holds all important toolsIdeal for use on ladders, indoors or in narrow spaces

- BB010 with Protector insert for optimum squeegee compatibility

| Part No. | Can hold the following tools | Pack | |
|----------|--|------|--|
| BB010 | NINJA: 1 washer, 2 squeegees, 1 scraper | 5 | |
| BB020 | Classic: 1 squeegee, 1 washer, 1 scraper | 5 | |



HENRY'S DOUBLEHOLSTER

Leather tool holder, two compartments. For fastening to belt.

- Convenient for holding squeegees and washers Extremely solid quality leather

| – Fits on most belts | | |
|----------------------|------|--|
| Part No. | Pack | |
| HT000 | 5 | |



Solid nylon belt for attaching bucket and other tools on a belt.

- Convenient loops for tools (squeegee, etc.)

- Clip lock for quick fastening

| Adjustable | length | |
|------------|--------|--|
| | | |

| Part No. | Size | Material | Pack | |
|----------|--------|----------------------|------|--|
| UB000 | 115 cm | Polypropylene, nylon | 5 | |

THE BELT





TRADITIONAL WINDOW CLEANING **BUCKETS, SOAP**



BUCKET 18 L

| – Metal handl | ass cleaning. and easy to handle e with plastic enclosure stic holder for washer and squeegee | | |
|---------------|---|------|--|
| Part No. | Capacity / Inside dimension | Pack | |
| QB120 | 18 l / 40 x 23cm | 10 | |





QB080

ACCESSORIES FOR BUCKET 28 L

| Part No. | Product | Pack |
|----------|--------------|------|
| QB060 | Bucket Sieve | 5 |
| QB080 | Lid | 5 |

| Window cleaning soap, liquid. Concentrate. Mixing ratio 1:100. - Economic and eco-friendly | | | | | |
|--|---------|------|--|--|--|
| Excellent cleaning power Simply add to water | | | | | |
| Part No. | Content | Pack | | | |
| FR100 | 11 | 12 | | | |
| FR500 | 5 l | 2 | | | |
| | | | | | |



GHS/CLP MARKING

UNGER products are manufactured and marked in accordance with the CLP regulation (EG) no. 1272/2008 where applicable. For safety datasheets please refer to downloads at www.ungerglobal.com/downloads.



WINDOW CLEANING KITS



| The exte | nsive products a | are completely | housed in a st | turdy nylon | carrier bag. | |
|----------|----------------------------|------------------|----------------|-------------|--------------|--|
| Content | | | | | | |
| MF40L | (3x) MicroWipe | Microfibre Clot | th, 40 x 40 cm | | | |
| ETG00 | ErgoTec [®] Sque | egee Handle | | | | |
| NS350 | StripWasher® N | | 5 cm | | | |
| EH350 | ErgoTec [®] T-bai | r, 35 cm | | | | |
| SH000 | ErgoTec® Scra | per, 10 cm | | | | |
| PCLIP | Plastic Clips | | | | | |
| RR920 | Soft Rubber, 92 | 2 cm | | | | |
| SR03K | ErgoTec [®] Safet | y Scraper | | | | |
| NE250 | S-Channel with | n Soft Rubber, 2 | 25 cm | | | |
| NE350 | S-Channel with | n Soft Rubber, 3 | 85 cm | | | |
| NE450 | | | | | | |
| EZ250 | OptiLoc Telesco | opic pole, 2 sec | tions, 2,50 m | | | |
| | 1x UNGER Liqu | uid Sample | | | | |
| Part No. | | | Pack | | | |
| ETSET | | | 1 | | | |



Pack

1

S-Channel with Soft Rubber, 45 cm Replacement Hard Rubber, 92 cm

ProTRIM10 Scraper

Sponge for FIXI Clamp

NF450

RR92H

TX100

SP010

Part No.

PWK00

| | | | | Illustration similar |
|--|--|--|--|----------------------|
|--|--|--|--|----------------------|

TRANSET

Glass cleaning kit

Contains a basic set of tools for professional glass cleaning for beginners. The products are stored in a sturdy nylon carrier bag. Content

| DDOOO | D C |
|-------|--------------|
| PR000 | Pro-Saueeaee |

| PR000 | Pro-Squeegee Handle |
|-------|---|
| NE250 | S-Channel with Soft Rubber, 25 cm |
| NE350 | S-Channel with Soft Rubber, 35 cm |
| NE450 | S-Channel with Soft Rubber, 45 cm |
| RR920 | Soft Rubber, 92 cm |
| WC350 | StripWasher® Original Strip Pac, 35 cm |
| EZ250 | OptiLoc Telescopic Pole, 2 sections, 2,50 m |
| FIXIO | FIXI Clamp |
| | |

| FIAIU | гілі Сіатір |
|-------|-------------|
| HBR00 | FIXI Brush |

- SP010 SR20K FIXI Sponge
- Safety Scraper ProTRIM10 Scraper TX100

| Part No. | Pack | |
|----------|------|--|
| TRS00 | 1 | |



WINDOW CLEANING KIT

The practical Starter Set.

Includes a high quality ErgoTec[®] window squeegee, an ergonomic ErgoTec[®] microfibre washer sleeve and a handy bucket for professional glass cleaning. Content

1

ES350 ErgoTec[®] Squeegee 35 cm

| EH350 | Ergolec® I-Bar 35 cm |
|-------|--------------------------------------|
| NS350 | StripWasher® MicroStrip Sleeve 35 cm |

| Part No. | | Pack |
|----------|-------------|------|
| QB120 | Bucket 18 l | |

**

INDOOR WINDOW CLEANING





The most efficient indoor cleaning tool ever!

Recent research indicates that when cleaning indoor

windows, cleaning professionals face 2 key challenges – efficiency and safety. Current tools lead to time consuming issues, like re-arranging of furniture and reaching high or unusually positioned windows*. Current solutions to these issues lead to more wasted time and the risks associated with the use of ladders. Moreover, for the least experienced need for intensive staff training create additional problems.

Introducing the revolutionary **UNGER Stingray**, the most efficient indoor cleaning tool ever. It cleans windows up to 25 % faster and uses up to 39 % less chemical than traditional methods.**

The **UNGER Stingray** system stands for excellent results even without professional window cleaning experience. Its highly intuitive design requires minimal operator training and it is suitable for most washable surfaces!

Increased productivity, greater cost efficiency and sustainability because:

- 25% faster than traditional methods**
- 39 % less liquid consumption**
- Numerous ergonomic benefits improve workers' comfort and safety – less downtime and health risks!
- Perfect for daytime cleaning: no drips and no runs = no mess and health risks!

Multitude of applications: indoor glass & windows, glass partitions, showcases, mirrors, glass refrigerator doors, elevators, washable doors & tables, etc.

Your investment will pay off within a few months!

UNGER Stingray, the solution to your indoor window cleaning needs.

*Source: Market Research – Professional Window Cleaners. Germany/UK, 2015, SR Strategy Routes **compared to traditional spray and cloth cleaning (Source: "Interior Glass Cleaning",

**compared to traditional spray and cloth cleaning (Source: "Interior Glass Cleaning", 16.07.15, Sabine R. Mück, Hygiene Consult Mück)



INDOOR WINDOW CLEANING STINGRAY SYSTEM



► FASTER

25% faster than traditional methods**

- New one step "Apply and Clean" Technology
- New microfibre **TriPad** for simultaneous cleaning of windows & frames
- Enclosed spray nozzle design prevents overspraying, eliminating drips, streaks and the rework associated with wet window sills
- 15 % larger pad size saves time via reduced frequency of pad change (compared to traditional pads e.g. **UNGER** PHL20)



TOTAL FLEXIBILITY Mastering every challenge with a single tool

- Unique triangular **TriPad** shape makes it easy to clean corners and other hard to reach areas
- New **Easy-Click-Pole technology** simply add on another pole extension to reach heights of up to 5 m!





ERGONOMIC AND SAFE Comfortable and safe working up to 5 m

- Enclosed spray nozzle prevents inhalation of cleaning liquid
- Triangular pole shape facilitates enhanced grip for perfect control
- Stingray's weight distribution is towards the cleaning surface, so it is easy to use and minimizes back strain
- Battery powered sprayer helps to reduce operator fatigue



- INCREDIBLE EASE-OF-USE Professional results with minimal training
 - **Stingray:** Ready-to-use, easily replaceable pouches, pre-filled with professional glass cleaner
 - NEW: Stingray OS: Removable tank. Can easily be filled with alcohol-based glass and surface cleaners
 - Spray activation button on each **Easy-Click-Pole** as well as on the handheld unit – press & play!
 - **NEW: QuikPad** Fast change + prevents cross-contamination

INDOOR WINDOW CLEANING STINGRAY SYSTEM

The most efficient indoor cleaning tool ever!

The **UNGER** Stingray system stands for excellent results even without professional window cleaning experience. Its highly intuitive design requires minimal operator training and it is suitable for most washable surfaces! EASY-CLICK-POLE SYSTEM

REFILL POUCH

STINGRAY Glass Cleaner with 3M Scotchgard™ Protection. Ready-to-use formula effectively removes dirt, grease and finger-

ENCLOSED SPRAYING

MICROFIBRE _

SPRAY ACTIVATION BUTTON

3D5

3D JOINT





Stingray INDOOR CLEANING KIT 100 PLUS

Stingray with one short Easy-Click-Pole

Contents: Stingray Handheld Unit (contains 2x Alkaline AA batteries*), 1 x Stingray Cleaning Liquid Pouch, 2 x Microfibre Deep Cleaning TriPad**, + Easy-Click-Pole: 1 x 0,63 m



Stingray INDOOR CLEANING KIT 330 PLUS

Stingray with two long and one short Easy-Click-Poles

Contents: Stingray Handheld Unit (contains 2x Alkaline AA batteries*), 1 x Stingray Cleaning Liquid Pouch, 2 x Microfibre Deep Cleaning TriPad**, + Easy-Click-Poles: 2x 1,24m, 1 x 0,63 m

| , | | | |
|----------|-----------------------------------|------|--|
| Part No. | Size | Pack | |
| SRKT3B | up to 3,27 m length (extended) | 1 | |



| Stingray | NDOOR CLEANING KIT 450 PREMIUM | 1 |
|----------|--------------------------------|---|

Stingray with one short + three long Easy-Click-Poles

Contents: Stingray Handheld Unit (contains 2x Alkaline AA batteries*),

1 x Stingray Cleaning Liquid Pouch, 2 x Microfibre Deep Cleaning TriPad**, 1 x Bag, + Easy-Click-Poles: 1 x 0,63 m + 3 x 1,24 m

| Part No. | Size | Pack | |
|----------|-----------------------------------|------|--|
| SRKTH | up to 4,37 m length (extended) | 1 | |

 $^{*2}\,x$ AA batteries lasting out approx. 6 months based on 11.000 cycles of one-second pushes $^{**}\,90\%$ polyester, 10% polyamide

INDOOR WINDOW CLEANING STINGRAY OS SYSTEM



Stingray OS -More flexible than ever

NEW: Stingray OS with removable tank.

Can be filled with alcohol-based glass and surface cleaners





REMOVABLE TANK

- Can be filled with alcohol-based glass and surface cleaners
- Large opening for easy filling: ready to use in seconds
- 150 ml tank can cover up to 150 m²







Stingray INDOOR CLEANING KIT 100 OS

Stingray OS with one short Easy-Click-Pole Contents: 1× Handheld unit (includes 2x Alkaline AA batteries) 1× SREXS Easy-Click-Pole-short 2× SRPD2 Deep Cleaning Microfibre TriPads*

| Part No. | Size | Pack |
|----------|-----------------------------------|------|
| SRK02 | up to 1,00 m length (extended) | 1 |
| 6 | | DR |



Stingray INDOOR CLEANING KIT 330 OS

Stingray OS with two long and one short Easy-Click-Poles Contents: 1× Handheld unit (includes 2x Alkaline AA batteries)

2× SREXL Easy-Click-Poles-long, 1× SREXS Easy-Click-Pole-short 2× SRPD2 Deep Cleaning Microfibre TriPads*

| Part No. | Size | Раск | |
|----------|-----------------------------------|------|--|
| SRK03 | up to 3,27 m length (extended) | 1 | |



- Double intake manifold for perfect function at every angle

- Drip-proof due to integrated leakage protection

| Part No. | Size | Pack | |
|----------|--------|------|--|
| SRBT1 | 150 ml | 1 | |



Stingray INDOOR CLEANING KIT 450 OS

Stingray OS with one short + three long Easy-Click-Poles Contents: 1× Handheld unit (includes 2x Alkaline AA batteries) 3× SREXL Easy-Click-Poles-long, 1× SREXS Easy-Click-Pole-short 2× SRPD2 Deep Cleaning Microfibre TriPads*, 1× SRBAG Bag

| Part No. | Size | Pack | |
|----------|-----------------------------------|------|--|
| SRKOH | up to 4,37 m length (extended) | 1 | |

INDOOR WINDOW CLEANING STINGRAY SYSTEM



Microfibre Cleaning Pads

- Superb cleaning power thanks to premium microfibre NEW: including colour coding stripes
- Elastic bands for secure fit and easy assembly
- 5 pads in a box (= minimum order quantity) - Size: 25 x 25 x 25 x 2,50 cm

| Part No. | Material | Pack | |
|----------|--------------------------------|------|--|
| SRPD2 | 90 % polyester, 10 % polyamide | 5 | |



Stingray QUIKPADS

Hygienically clean without having to launder

- Quickly and safely removes fingerprints, grease, etc.
 Optimal for preventing cross contamination

- Coverage per QuikPad: 15 m²
 3-layer construction: cleaning layer, absorbent core, and fastening layer
- Adapterplate (SRADK) for subsequent conversion of Stingray hand tools - Quick and easy pad change

| Part No. Version Material | Pack |
|---|------|
| SRADK 1x Adapter, 25x QuikPads 54% polyester, 46% viscose | 1 |
| SRPD3 Pack of 25 54% polyester, 46% viscose | 1 |
| SRPD4 Pack of 100 54% polyester, 46% viscose | 1 |



Stingray QUIK PAD KIT 160 OS

Stingray with one long Easy-Click-Pole

Contents: 1× Handheld unit (includes 2x Alkaline AA batteries) 1× SREXL Easy-Click-Pole-long 1× SRADK Adapter with 25 QuikPads

| Part No. | Size | Pack | |
|----------|-----------------------------------|------|--|
| SRKOD | up to 1,66 m length (extended) | 1 | |

For Stingray



Stingray GLASS CLEANER

Professional Glass Cleaner powered by 3M Scotchgard™

- Easy gliding, quick drying high efficiency
 Cleaning power up to 150 m² (at low to medium polluted surfaces) - Cleans and protects glass and other silica-based surfaces such as uncoated
- granite, ceramic and porcelain Also cleans but may not protect other surfaces such as stainless steel, chrome,
- aluminum, plastic, acrylic glass, etc. 24 pouches (150 ml) in a box (= minimum order quantity)

| Part No. | Content | Pack | |
|----------|---------|------|--|
| SRL01 | 150 ml | 24 | |



| | | | ~~ |
|------|------|------|-----|
| | Ctin | gray | 105 |
| -01 | 300 | .g, | |



Stingray OS GLASS CLEANER

Professional Glass Cleaner

- Excellent cleaning power for glass, mirrors, and other waterproof surfaces
- Easy removal of fingerprints, grease, and other dirt
- Fast and streak-free drying

| Part No. | Content | Pack | |
|----------|---------|------|--|
| SRL03 | 0,5l | 10 | |

| 4 | 10 | 1 |
|-------------------------------------|----|---|
| Stingray EASY-CLICK-POLES | | |
| Extends the Stingray unit by 1,24 m | | |

- Reinforced for a working height of up to 5 m.

- Triangular shape for enhanced grip
- Light, rigid aluminium, features Easy-Click mechanism and spray activation button

| Part No. | Size | Pack | |
|----------|--------|------|--|
| SREXS | 0,63 m | 1 | |
| SREXL | 1,24 m | 1 | |



Stingray BAG

Lightweight nylon bag for storage and transportation of your complete Stingray System.

- Zip fastening allows bag to open flat
- Multiple fasteners and pockets for additional tools

| Part No. | Size | Pack | |
|----------|-----------------|------|--|
| SRBAG | 130 x 33 x 5 cm | 1 | |

INDOOR WINDOW CLEANING CLEANING SYSTEM







Removes dust, fingerprints, grease and other light dirt from glass
 Strong hooks & loops backing for attaching to Pad Holders PHH20 and PHD20

| Part No. | Size | Material | Pack |
|----------|-------|--------------------------------|------|
| PHL20 | 27 cm | 70 % polyester, 30 % polyamide | 5 |



Microfibre polish pad for regular cleaning. - Removes dust, fingerprints, grease and other light dirt from glass and mirrors - Strong hooks & loops backing for attaching to Pad Holder PHH20 & PHD20

| ett ettig tie etti | o a toopo bao | | | |
|--------------------|---------------|--------------------------------|------|--|
| Part No. | Size | Material | Pack | |
| PHP20 | 27 cm | 70 % polyester, 30 % polyamide | 5 | |



MICROFIBRE WASH PAD

Microfibre wash pad for periodic washing and heavy soil.

- 15 mm long, thick fibres easily remove tough dirt
 Strong hooks & loops backing for attaching to Pad Holder PHH20 & PHD20

| Part No. | Size | Material | Pack |
|----------|-------|--------------------|------|
| PHW20 | 29 cm | 100 % polyethylene | 5 |




Abrasive scrub pad for removing tough dirt. – Removes stubborn dirt, ideal for outdoor cleaning

– Reliably sticks to the backing of Pad Holder $\rm PHH20~\&~PHD20$

| , | | 5 | | |
|----------|-------|-----------------|------|--|
| Part No. | Size | Material | Pack | |
| 0PS20 | 25 cm | 100 % polyester | 10 | |

| STARTER SE | т | | |
|--|--|---|----------------------|
| INDOOR CLEAN | IING STARTER S | ET | |
| PHH20 Pad Ho | bre Cleaning Pad 20 c lder 20 cm adapter for Alu-Poles | | |
| Part No. PFK20 | Pa 1 | | |
| | SP OF | ΡΔΠ ΗΟΙ Π | ER (HANDHELD) |
| Aluminium handhel | d holder for indoor cl | | |
| – Hooks & loops bad | king for attaching the perfect pressure app | pads | and precise cleaning |
| Part No. PHD20 | Size 24 cm | Pack 5 | |
| | P | | PAD HOLDER |
| Hooks & loops bac Swivel function all | ead holder for indoor king for attaching the bws access to hard to . UNGER poles with th | pads reach places | |
| Part No. | Size | Pack | |
| PHH20 | 24 cm | 5 | |
| Anodized aluminiun – Fits into any UNGE | FER FOR ALU-PC n adapter for fitting th R aluminium pole witi n between aluminium usbase | ne Pad Holder to alun h 21mm diameter – ju | ist click in |
| Part No. | Pa | ck | |
| AFAET | 5 | i | |
| | | | |



- Flexible hose allows upside down spraying
- 1 l bottle included - Compatible with standard bottles
- Includes colour coding labels
- Part No. Pack Content SOABG

| i | 11 | 5 |
|---|----|---|
| | | |

LITTER PICKING & REACHING AIDS



NiftyNabber® GRABBER AND BAGGER SYSTEM

Perfect for eco-friendly waste removal, indoor and outdoors, in industrial or domestic environment.

Durable, ergonomic and reliable UNGER grabbers are also perfect for easy reach and bend-free pick up of many daily objects.



NiftyNabber® BAGGER

A durable and weatherproof waste carrier for 180 l bags that is a great multi-tasking alternative to plastic bags and the perfect companion to UNGER's super tough litter pickers.

Robust

– Can be pulled across the floor, asphalt or ground due to solid plastic bottom and carry loops. – Protects plastic bags from splitting.

- Practical
- Collapses flat and fastens with hooks & loops for compact storage and transportation.
 Can be used indoors or outdoors as a temporary waste disposal or recycling unit during the event.

Ergonomic

- Allows to avoid unnecessary bending or lifting heavy bags.
 Always open for easy and safe access without touching litter.

| , and jo open for eacy and bare access maneat too | enning accent |
|--|-----------------|
| Made of robust material for reduced injury risk fr | om sharp waste. |

| Part No. | Size | Ø | Height | Colour | Pack |
|----------|-------|-------|--------|--------|------|
| NB300 | 151 l | 55 cm | 68 cm | ٠ | 1 |



PAPER PICKER

A lightweight tool with a strong metal pin for removing debris such as paper and cans

Ergonomic Design

- No bending or back strain. - Handle design positions arm and hand in the optimal position for reaching debris

Carbon Steel Shaft

- Lightweight and rust resistant.

Strong Metal Pin

Long enough for picking up several pieces of debris at once.
Will punch through and hold even thick, aluminium cans.

| Part No. | Size | Pack | |
|----------|----------------------------------|------|--|
| PPPP0 | 100 cm | 10 | |
| PINP0 | Replacement Pin Plugs for Picker | 10 | |



Durable litter picker with a strong internal metal bar, a 360° fully rotating head and a highly responsive trigger grip handle. Available in 4 lengths. Robust metal bar inside

- For extra durability and grab power.

- Will not stretch or snap, like string mechanism on other grabbers.

Trigger Grip Handle

- Responsive mechanism for greater comfort.
- Made with glass-reinforced plastic for increased durability. Rubber Claws with Magnetic Tip

- Reliable grip even with most difficult shapes.

- Opens up to 10 cm wide and holds items up to 4,5 kg.
 Hold items with the claw's magnetic tip like coins and cans!
- **Rotating Head**
- Access narrow areas with 360° rotating head.

– Locks securely every 90°. Aluminum Shaft

- Durable and rust-resistant.

Lightweight, designed to decrease fatigue.

| Part No. | Size | Pack |
|----------|--------|------|
| NT060 | 63 cm | 5 |
| NT080 | 83 cm | 5 |
| NT090 | 93 cm | 5 |
| NT100 | 102 cm | 5 |

NiftyNabber® PRO

A heavy duty litter picker with a strong internal metal bar, poweful claws and robust steel shaft. Available in 4 lengths, including 2,38 m long reach version!

Steel Claws

- Molded rubber overlay for an extra-secure grip. - Powerful hold of small or oddly shaped objects - broken glass, cigarettes or coins. - Opens up to 15 cm wide.

- Rugged Design
- Shaft made from durable steel with rust resistant coating for dependable use over long time. - Strong enough for heavy-duty work, light enough to protect from back and arm
- strain.
- Overall steel construction wears well under the rigours of every day use.

| Part No. | Size | Pack |
|----------|--------|------|
| NN400 | 52 cm | 5 |
| NN900 | 97 cm | 10 |
| NN140 | 130 cm | 5 |
| NN960 | 238 cm | 6 |

MAINTENANCE CLEANING

erGJ!

Feel the intuitive motion



68

Professional Tools for daily and project cleaning tasks

Efficient, Ergonomic, Hygienic


UNGER Maintenance Cleaning tools provide simple solutions for many cleaning tasks. They help professionals to perform their job better, faster and easier. Their ergonomic design and state of the art functionality ensure full compliance with modern cleaning requirements.



COLOUR CODING Products are coded or can be coded for usage in specific area.

RECOMMENDED USAGE

- 🛑 General Washroom
- Clinical
- Food and Bar Area
- 📕 General Low Risk Area
- O Bespoke or Site Specific





The World of Maintenance

p. 70

n 82



Thanks to the new erGO! clean and erGO! wax system, the cleaning and maintenance of floors is more userfriendly and efficient than ever before. Intuitive S-Shape motions with minimal effort required.

erGO! clean, erGO! wax



FLOOR CLEANING

UNGER offers the right product solution for every requirement of professional floor cleaning and care. The quality assortment includes various floor mop systems made of high-quality materials as well as a selection of double-buckets and an inovative cleaning cart.

p. 74

p. 84

SmartColor, erGO! clean



FLOOR SQUEEGEES, FLOOR HANDLES, FLOOR SCRAPERS

UNGER also offers a comprehensive portfolio of tools and accessories that leave nothing to be desired in professional floor cleaning and floor care. Whether floor squeegees or scrapers with suitable handles or various maintenance tools - **UNGER** always means support all around.

WaterWand, AquaDozer®, SmartColor



MICROFIBRE CLOTH SYSTEM

Five-colour system for optical coding optimises cleaning by dividing tools and areas. Matching coded tools assigned to specific cleaning areas prevent dangerous bacterial contamination. Our easy to follow Grading System helps you choose the right microfibre for specific tasks, optimising the ROI.

SmartColor, MicroWipe



DUSTING & BRUSHES

Innovative dusting tools for effective cleaning with minimum effort. Compatible with **UNGER** telescopic poles for safe cleaning at heights of up to 10 m.

StarDuster[®]



p. 86

p. 78

The **UNGER** Bathroom and Toilet Cleaning System is colour coded in red to prevent bacterial cross contamination.

ErgoTec[®], NiftyNabber[®]

69

FLOOR CLEANING erGO! clean







TELESCOPIC HANDLE 1,30 - 1,70 M



LATEST MICROFIBER **TECHNOLOGY: MAXIMUM** GLIDING ABILITY AND **GREAT DIRT ABSORPTION**

REPLACEABLE TANK WITH COLOR CODING AND FILLING LEVEL DISPLAY



BLOCKAGE-FREE PULSE JET SYSTEM FOR PRECISE DOSING

Feel the intuitive motion

Discover the intuitive S-shape motion with minimal effort: the ultrafast floor cleaning system

Dirt and contamination can quickly be caused by minor mishaps in day-to-day business life. A drink spilt on the floor does not create a good impression and, in the worst-case scenario, if someone stands in it, it may well be spread elsewhere. Precious time passes before the cleaning staff can get their cleaning tools together and be on-site. But the UNGER erGO! clean - being fast, ergonomic and professional - will put an end to this.

READY-TO-GO AT ANY TIME AND ANYWHERE

- Ready-to-use immediately
- No lengthy preparation, such as filling buckets, required
- Cleaning chemicals can be replaced in a matter of seconds.

INCREASED PRODUCTIVITY WITH FATIGUE-FREE WORK

- Reduces the extreme strain placed upon employees and prevents work-related musculoskeletal diseases
- No lifting and carrying of heavy buckets
- Significantly less effort required for use

A TOP-QUALITY **PROFESSIONAL TOOL**

- First-class materials guaranteeing a long service life
- Robust tool for long-term use
- Sophisticated product design for intuitive handling





Tested by:











www.ungerglobal.com

FLOOR CLEANING & FLOOR FINISHING erGO! clean & erGO!wax




The intuitive S-motion now in series!

Performance without limits!

After the great success of the **erGO! clean** with integrated trigger and detachable tank, our back and joint friendly innovation is now compatible with all **UNGER** floor cleaning systems: The S-Telescopic pole.

erGD! wax



Ultra-fast & ergonomic with just one person

Professionally coat resiliant floor coverings such as linoleum and PVC. Work with the **UNGER erGO! wax** floor coating system continuously and without any interruption thanks to the backpack with 5-liter capacity. Achieve perfect working results with an even application of the cleaning agent by the blockage-free pulse spray system – which also guarantees precise dosing.

The telescopic handle of the **UNGER erGO! wax** floor coating system can be precisely adjusted to the height of the operator which protects his/her back during cleaning work. The rotateable grip ensures an easy and stress reducing working movement. Available in S-curved and straight version.

INCREASED PRODUCTIVITY THANKS TO CONTINUOUS

Backpack, incl. Replacement Pouch, Hose and Pulse-Jet-Unit

• Finishing work with just one person


WORK WITHOUT INTERRUPTION

- No lifting or carrying heavy buckets
- Protects employees against high levels of strain and job-related diseases of the musculoskeletal system

A PROFESSIONAL TOOL GUARANTEEING TOP WORKING RESULTS

• Lint free and non-soaking sleeve for easy and perfect distribution of the finishing fluid








FLOOR CLEANING & FINISHING erGO! clean & erGO! wax













Ergonomic floor handle with rotateable grip

- FAEPL/FAPLW: Supports intuitive S-shape motions - FAEPL/FASPL: Blockage-free pulse jet system for precise dosing and integrated

dosing lever

| Part No. | Size | Version | Pack |
|----------|---------------|-------------------------|------|
| FAPLW | 1,30 – 1,70 m | S-Shape w/o tank | 1 |
| FAEPL | 1,30 – 1,70 m | S-Shape w/ tank holder | 1 |
| FASPL | 1,30 – 1,70 m | Straight w/ tank holder | 1 |
| | | | |

FAPMH

Cleaning Pad and Pocket Mop Holders 40 cm

erGO! MOP HOLDERS

Cleaning Pad: for any looped pile flat mop, quick & easy operation
 Pocket: for any standard pocket mop or UNGER flat mop

| – Click conne | ction for e | erGO! hand | lles | |
|---------------|-------------|------------|------|--|
| | | | | |

| Part No. | Size | Version | Pack |
|----------|-------|--------------|------|
| FAVMH | 40 cm | Cleaning Pad | 5 |
| FAPMH | 40 cm | Pocket Mop | 5 |

FAVMH

| erGO! | WonderWaxer HOLDE | R |
|-------|-------------------|---|



Light aluminium holder for WonderWaxer sleeve 40 cm

Stabilisation hooks for straight fit of the sleeve
For floor finishing
Click connection for erGO! handles

| Part No. | Size | Pack | |
|----------|-------|------|--|
| QS020 | 40 cm | 5 | |



erGO! BACKPACK 5 L


For transportation of finishing or cleaning chemicals – Strong nylon backpack with solid 5 l plastic pouch

- Available filling utilities like hose and canister valves
- Connection hose incl. pulse-jet-unit to connect the backpack with
- the erGO! handle

| | unute | | |
|----------|-------|-----------------|------|
| Part No. | Size | Product | Pack |
| FABAP | | Backpack | 1 |
| FABAR | 5 l | Pouch | 5 |
| FABAH | | Connection Hose | 1 |
| FABAK | | Refill Kit | 1 |

* 100 % polyester microfibre

** 65 % polypropylene, 35 % polyester



Easy connection tanks for erGO! handles

2 versions 500 ml or 1000 ml capacity
Including unscrewable pulse jet unit

- Easy to fill, easy to assemble and to the handle

| Part No. | Size | Size Product | |
|----------|-------------------|---------------------|---|
| FABTL | 1.000 ml | Big Tank | 1 |
| FABTS | 500 ml | Small Tank | 1 |
| FAORS | 1 pack = 4 pieces | Colour Coding Rings | 1 |
| FAVAS | | Pulse Jet Unit | 1 |
| FADTS | 1 pack = 5 pieces | Dispenser tube | 1 |

FAPMM

FAVMC



FAPML

Cleaning Pad, Pocket- and Flat Mop 40 cm

- High quality microfibre pile mops for easy glide and superb cleaning action
 Compatible to all standard systems
- Up to 300 wash cycles

- Incl. colour coding stripes

| Part No. | Size | Product | Pack |
|----------|-------|---------------|------|
| FAVMC | 40 cm | Cleaning Pad* | 5 |
| FAPMM | 40 cm | Pocket Mop* | 5 |
| FAPML | 40 cm | Flat Mop* | 5 |

| erGO! WAX SLEEVE/FINISH | QS010 ING PAD | FA | VMF |
|--|------------------|----|-----|
| WonderWaxer sleeve and Finishing P - Perfect for finishing floors - Distributing wax without soaking it u - Un to 300 wash cycles | | | |

– Up to 300 wash cycles - Lint-free material for perfect results

| Part No. | Size | Product | Pack | | | | |
|----------|-------|----------------|------|--|--|--|--|
| QS010 | 40 cm | WonderWaxer** | 10 | | | | |
| FAVMF | 40 cm | Finishing Pad* | 5 | | | | |



FLOOR CLEANING MICROFIBRE MOPS & MOP HOLDER

PRODUCT GUIDE - FLOOR CLEANING - WET & DAMP MOPPING

Our product guide below will help you to identify the best set of tools for keeping the floor perfectly clean.

| Mops / Pads | Ceramic | Natural Stone | Flexible Coverings | | Parquet / | | Specific Cases | 5 | Mop Holders | Double Buckets |
|------------------------------------|---------|--------------------------------|-------------------------------------|----------|-----------|------|---------------------|-------------------|--|-------------------------------|
| O p. 75 | Tiles | (Granite, Marble, Slate) | (Linoleum, PVC/Vinyl, Rubber) | Laminate | Wood | Cork | Concrete/ Cement | Epoxy Covering | D p. 73–75 | " O p. 77 |
| erGO! clean mops Pocket Flatmop | 1 | J | On Roll | J | Sealed* | | 1 | J | erGO! Pocket Mop Holder | SmartColor COMBO 15 l/30 l |
| SmartColor SPILL MOP 1 l | 1 | | | | | | Sealed* | √* | SmartColor MOP HOLDER | |
| SmartColor MICRO MOP 15.0 | 1 | | On Roll | | | | Sealed* | √* | - | |
| SmartColor MICRO MOP 7.0 | | | On Roll | | Sealed | | Sealed | ✓* | | |
| SmartColor DAMP MOP | | J | Tiles | 1 | Sealed | 1 | Sealed | J | | |
| String Mop 310 g | | J | Tiles | ✓* | Sealed* | | Sealed* | ✓* | SmartColor Microfibre String Mop Holder | V |
| String Mop 450 g | 1 | | On Roll | | | | Sealed* | | a construction of the second s | |
| erGO! clean Mop Pad | 1 | 1 | On Roll | 1 | Sealed* | | 1 | 1 | erGO! Mop Pad Holder | |
| SmartColor Damp Mop Pad | | J | Tiles | 1 | Sealed | 1 | Sealed | J | SmartColor Damp Mop Pad Holder | |

Floor Handles p. 80

This information provided in this chard is for guidance only. No responsibility accepted for accuracy. *To clean wooden floors or sealed surfaces, use damp or dry mop

BENEFITS OF USING UNGER'S 100 % MICROFIBRE MOPS

- Clean with less water, less chemicals and less streaking
- Reduces bacterial contamination up to 96 % compared to traditional mop heads
- Long lasting and durable, withstands up to 500 wash cycles

SmartColor FLAT MOP HOLDER

Swivel head mop holder with the new "no spin" design.

- UNGER mops fit securely with holding clips and can stay on during wringing
- Large surface provides more direct cleaning contact, more scrubbing pressure
 Reduces cleaning time by up to 10 % and reaches in all corners

Folds at the push of a button, for wringing or replacing mop
 Handle socket for cones or handles with 21 and 23 mm diameter, respectively

| Part No. | Size | Ø | Colour | Pack |
|----------|-------|----------|--------|------|
| SM40G | 40 cm | 21–23 mm | • | 5 |
| SM40R | 40 cm | 21–23 mm | • | 5 |





SmartColor MICR0 MOP 15.0

Durable microfibre mop, ideal for tiles and stone floors with grout lines.

- Heavy duty 15 mm long fibres with large surface area
 Cut microfibre for improved dirt absorption and streak-free cleaning
- Reduces bacterial contamination by up to 96 %
- Holds 6 times its own weight in water perfect for cleaning large areas
 Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erGO! Pocket Mop Holder FAPMH

| Part No. | Size | Colour | Material | Pack |
|----------|-------|--------|-------------|------|
| MM40R | 40 cm | • | Microfibre* | 5 |
| MM40Y | 40 cm | | Microfibre* | 5 |
| MM400 | 40 cm | • | Microfibre* | 5 |
| MM40B | 40 cm | • | Microfibre* | 5 |

SmartColor MICR0 M0P 7.0



Microfibre mop, ideal for vinyl or sealed floors without grout lines.

- 7 mm long fibres - Cut microfibre for improved dirt absorption and streak-free cleaning
- Reduces bacterial contamination by up to 96 %
- Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erG0! Pocket Mop Holder FAPMH

| Part No. | Size | Colour | Material | Pack |
|----------|-------|--------|-------------|------|
| MD40R | 40 cm | • | Microfibre* | 5 |
| MD40Y | 40 cm | | Microfibre* | 5 |
| MD400 | 40 cm | ٠ | Microfibre* | 5 |
| MD40B | 40 cm | | Microfibre* | 5 |

SmartColor DAMP MOP

Microfibre mop for damp cleaning of smooth floors.

- Optimal in areas that need to dry quickly
- Cleans streak-free and uniformly
- High loop density for high absorption and low moisture release - Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erGO! Pocket Mop Holder FAPMH

| Part No. | Size | Colour | Material | Pack |
|----------|-------|--------|--------------|------|
| DM40R | 40 cm | • | Microfibre** | 5 |
| DM40Y | 40 cm | | Microfibre** | 5 |
| DM400 | 40 cm | ٠ | Microfibre** | 5 |
| DM40B | 40 cm | • | Microfibre** | 5 |

Microfibre mop for absorption of large amounts of liquid.

- 14 mm long microfibres, extra-large surface
- Absorbs up to 1 l liquid immediately

SmartColor SPILL MOP 1 L

- Machine washable up to 500 times
- Fits on UNGER Flat Mop Holder SM40G + erGO! Pocket Mop Holder FAPMH

| Part No. | Size | Colour | Material | Pack |
|----------|------------|--------|--------------|------|
| MA45R | 47 x 21 cm | • | Microfibre** | 5 |
| MA45Y | 47 x 21 cm | | Microfibre** | 5 |
| MA450 | 47 x 21 cm | ٠ | Microfibre** | 5 |
| MA45B | 47 x 21 cm | • | Microfibre** | 5 |

* Support material: 100 % polethylene; Fibres: 100 % polyester ** Support material: 100 % polyester; Fibres: 100 % polyester

*** 80 % polyester, 20 % polyamide ****100% polyester



Cleaning Pad, Pocket- and Flat Mop 40 cm

- High quality microfibre pile mops for easy glide and superb cleaning action
- Compatible to all standard systems - Incl. colour coding stripes
- Mopholder: Click connection for erGO! handles

| Part No. | Size | Product | Pack |
|----------|-------|-------------------|------|
| FAPMH | 40 cm | Pocket Mop Holder | 5 |
| FAPMM | 40 cm | Pocket Mop**** | 5 |
| FAPML | 40 cm | Flat Mop**** | 5 |



erGO! CLEANING PAD

- High quality microfibre pile mop for easy glide and superb cleaning action
 Cleaning Pad: for any looped pile flat mop, quick & easy operation,
- colour coding stripes - Mopholder: Click connection for erGO! handles

| | 0.000 000000000 | | |
|----------|-----------------|---------------------|------|
| Part No. | Size | Version | Pack |
| FAVMH | 40 cm | Cleaning Pad Holder | 5 |
| FAVMC | 40 cm | Cleaning Pad**** | 5 |



SmartColor DAMP MOP PAD

Microfibre pad with high density looped pile for streak free results.

- Machine washable up to 500 times
- Uses less water and solution so floors dry quicker
- Attaches to Pad Holder with hooks & loops backing - Use with SV40G DampMop Pad Holder or any standard 40 cm Pad Holder
- + erGO! Pad Mop Holder FAVMH Swivel head Pad Holder glides easily across floors

| | | 5 | , | |
|----------|-------|--------|-----------------|------|
| Part No. | Size | Colour | Material | Pack |
| DV40R | 50 cm | ٠ | Microfibre** | 5 |
| DV40Y | 50 cm | | Microfibre** | 5 |
| DV400 | 50 cm | ٠ | Microfibre** | 5 |
| DV40B | 50 cm | ٠ | Microfibre** | 5 |
| SV40G | 50 cm | Dam | oMop Pad Holder | 5 |



SmartColor MICROFIBRE STRING MOP

- Microfibre strings increase liquid and dirt absorption
 Use with UNGER String Mop Holder Clip or any standard Mop Holder and handle
 Heavy duty weights 450 g, 28 strands; medium duty weights 310 g, 20 strands

| Part No. | Colour | Quality | Material | Pack |
|----------|--------|---------|---------------|------|
| ST30R | ٠ | 310 g | Microfibre*** | 5 |
| ST30Y | | 310 g | Microfibre*** | 5 |
| ST300 | ٠ | 310 g | Microfibre*** | 5 |
| ST30B | • | 310 g | Microfibre*** | 5 |
| ST45R | ٠ | 450 g | Microfibre*** | 5 |
| ST45Y | | 450 g | Microfibre*** | 5 |
| ST450 | ٠ | 450 g | Microfibre*** | 5 |
| ST45B | • | 450 g | Microfibre*** | 5 |
| FC03G | | Stri | ngMop Holder | 5 |



FLOOR CLEANING DOUBLE BUCKET



- Two compartments keep clean and dirty water separated

Emptying via drain spout and dump spout
 Labels included for colour coding

- Complete with vertical press
- Available accessories: Adapter hose WH180

| Part No. | Content | Colour | Pack |
|----------|---------|--------|------|
| COMBG | 30 L | • | 1 |
| COMBR | 30 l | • | 1 |



- The convenient floor care sets.
- Perfect for professional floor care
- Complete with UNGER SmartColor Mop Holder SM40G and Telescopic Handle
- SF14G Set also includes large 30 l dual bucket
 Select a floor mop from our wide range of colour coded products

| Part No. | MS18G | SM40G | COMBG | Pack | |
|----------|-------|-------|-------|------|--|
| SC14G | • | • | | 1 | |
| SF14G | • | • | • | 1 | |



- Complete with vertical press

- Available accessories: Adapter hose WH180, side bucket SMSBG

| Part No. | Content | Colour | Pack |
|----------|---------|--------|------|
| COMSG | 15 l | • | 1 |
| COMSR | 15 l | • | 1 |



EASY ADAPTER WATERHOSE

Heavy duty adapter hose for dual bucket.

- Fits on every standard water tap - Allows for convenient filling of bucket on-site

| Part No. | Size | Pack | |
|----------|--------|------|--|
| WH180 | 180 cm | 10 | |



SmartColor SWIVEL CORNER BRUSH

Perfect for corners, edges of floors, walls and partitions.

- Durable polypropylene bristles remove even severe dirt
 Swivel head is easy to maneuver and reduces bending and over-reaching
- Angled bristles provide optimal cleaning of corners and edges
- Labels included for colour coding
 ACME threaded handle socket

| Part No. | Size | Pack |
|----------|-----------|------|
| SB20G | 20 x 8 cm | 10 |
| CB20G | 22 cm | 10 |

CLEANING CART



A HIGHER LEVEL OF CLEANING AND PRODUCTIVITY

Meet the **SmartColor Cleaning Cart**, the first cleaning cart developed by professional cleaning operatives to help them work faster, safer and better than ever before.

Perfect for using together with **UNGER SmartColor Mopping System**, Dual Bucket and other Accessories.



Storage Module doubles the supply space on the cart, so you can re-stock multiple bathrooms without lost time returning to the supply area.



The base of the cart is designed to catch drips from cleaning tools. This allows you to work quickly without the worry of staining clean floors.



Nothing sticks out beyond base of cart. You can move the cart through doorways, on/off elevators, without any tools catching on doorways, etc.



Wheel wells improve bucket stability and hold bucket in place. Helps eliminate messy spills when the cart hits thresholds, bumps into a frame.



SmartColor CLEANING CART

| Complete transportation ca | rt includir | ng vinyl trash bag, |
|----------------------------|-------------|---------------------|
| tool clips and holders | | |
| D 1 1 1 1 1 1 | | |

- Drip tray: the base of the cart acts as a drip tray catching excess liquid
- Ergo Handrail: No matter which side of the cart you're on, you can push and pull with ease
 Clip System: Tools are always where they need to be,
- and always clipped on securely

| Part No. | Content | Pack |
|----------|----------------|------|
| RRCRT | Cart complete | 1 |
| RRMOD | Storage module | 1 |

Delivery time on request



Example equipment for the cleaning of washrooms

FLOOR CLEANING FLOOR SQUEEGEES

FLOOR SQUEEGEES

Ideal for commercial cleaning, UNGER floor squeegees effectively remove excess water, oil and other liquids from large hard floor areas. Use our product guide below to

identify the right squeegee for specific premises or job requirements.

| Squeegee | Dual Blade | Unsealed Concrete | Sealed Concrete | Steel | Industrial Carpet | Tarmac | Marble | Vinyt | Rubble Stone/Stoneware | Rubber Flooring | Tartan Track | Wood (Inside/Outside) | Areas of Application | Rubber | Solvent Resistance* | 0il Resistance** | Acid Resistance | inserts & Threads | _ O |
|------------------------------------|------------|-------------------|-----------------|-------|-------------------|--------|--------|-------|------------------------|-----------------|--------------|-----------------------|--|---|---------------------|------------------|-----------------|--------------------------------|------------|
| Sanitary Squeegee + Combi Brush | 1 | | | | | | 1 | 1 | 1 | 1 | 1 | | Push and dry: Water, liquids, solvents | Natural rubber (black and natural foam material) | (+) | ÷ | + | ACME thread | p. 79 |
| WaterWand (black Rubber) | 1 | | | | | | 1 | 1 | 1 | 1 | 1 | | Push and dry: Water, liquids, solvents | Black neporene rubber (Chlorophen, foam material) | (+) | + | + | Universal socket | p. 79 |
| WaterWand (red Rubber) | 1 | | | | | | 1 | 1 | 1 | 1 | 1 | | Push and dry: Water, liquids, solvents | Red neoprene rubber (Chlorophen, foam material) | + | ++ | ++ | Universal socket | p. 79 |
| AquaDozer® | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | 1 | Push away high volumes: Water, dirt, waste, shavings, snow | EPDM (Ethylene-propylene- diene) | + | + | + | Conical universal socket | p. 79 |

* Aliphatics, Aromatics, Ketones, Varnishes ** Lubricating Oils, Oils, Gasolines, Essential Oils, Carrier Oils

i **DOUBLE BLADE**

The double blade ensures effective removal of liquid on all types of flat surfaces, even with grooves, tile joints or textured finish.



RED RUBBER

- Excellent resistance to oils, acids, greases and solvents
- Ideal for cleaning in factories, garages and vehicle maintenance facilities



Floor Handles p. 80

BLACK RUBBER

- All-purpose foam rubber
- Perfect for cleaning in most areas









Squeegee with double blade foam rubber blade, black. ACME thread. - Plastic body for increased hygiene

- Acid, rust and scratch proof
 With splashguard

| Part No. | Size | Pack |
|----------|-------|------|
| PM45A | 45 cm | 10 |
| PM55A | 55 cm | 10 |



SANITARY COMBI BRUSH

2 tools in one: Brush with polypropylene bristles and squeegee with double blade foam rubber blade, black. ACME thread.

- Scrubber to remove dirt - Foam rubber blade for drying floors and joints

- Very sturdy, but lightweight

| Part No. | Size | Pack |
|----------|-------|------|
| PB45A | 45 cm | 10 |
| PB55A | 55 cm | 10 |





| WaterWand | HEAVY DUTY |
|-----------|------------|
| waterwand | HEAVY DUIY |

| Reinforced version for heavier jobs with double blade black rubber. – Great for cleaning joints – Sturdy zinc plated steel body – For streak free floor drying | | | | | | | | | | | |
|---|---------------|------|--|--|--|--|--|--|--|--|--|
| Part No. | Size | Pack | | | | | | | | | |
| HM450 | 45 cm | 10 | | | | | | | | | |
| HM550 | 55 cm 10 | | | | | | | | | | |
| HM750 | 1750 75 cm 10 | | | | | | | | | | |



WaterWand HEAVY DUTY RED

Pack

10

Reinforced version for heavy duty jobs with double blade red foam rubber, oil and acid resistant.

Great for cleaning joints
Sturdy, zinc plated steel body
For streak free floor drying

| Part No. | Size | Pack |
|----------|-------|------|
| HW550 | 55 cm | 10 |
| HW750 | 75 cm | 10 |




Part No.

FWAI0



For heavy duty jobs, black EPDM rubber. Ideal for industrial environment. Sturdy construction - Solid handle socket

| Part No. | Size | Version | Pack |
|----------|-------|----------|------|
| FP600 | 60 cm | Straight | 6 |
| FP900 | 90 cm | Straight | 6 |
| FP60C | 60 cm | Curved | 6 |
| FP90C | 90 cm | Curved | 6 |



FLOOR CLEANING FLOOR HANDLES

| Holder/Sque | eegee | | FAPLW | MS18G | MH140 | MS14G | MH14G | EZ25G | EP24R | HH13R | AL14A | AL14T | AL140 | AL14G | |
|-------------|--|----------------------------------|---------|--------------------|--------------------|--------------------|--------------------|----------------|----------------|----------------|----------------|----------------|---------|---------|----------------|
| | Diameter | | Ø 21 mm | Ø 21 mm | Ø 23 mm | Ø 23 mm | Ø 23 mm | Ø 21 mm | Ø 21 mm | Ø 21 mm | Ø 25 mm | Ø 25 mm | Ø 25 mm | Ø 25 mm | |
| | | | Hole | Hole for C-Clip | Hole for C-Clip | Hole for C-Clip | Hole for C-Clip | ACME Thread | ACME Thread | ACME Thread | ACME Thread | ACME Thread | Conical | Conical | |
| | Inserts & Threads | | 1 | 1 | 1 | 1 | | | | | | | | | P |
| | erGO! Pocket Mop Holder | Fapmh | 1 | 1 | | | | 1 | 1 | 1 | | | | | р. 73 р. 75 |
| ala | SmartColor Mop Holder | SM40G SM40R | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | p. 74 |
| | erGO! Mop Pad Holder | FAVMH | 1 | 1 | | | | 1 | 1 | 1 | | | | | р. 73 р. 75 |
| | SmartColor Damp Mop Pad Holder | SV40G | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | p. 75 |
| No. | SmartColor Microfibre String Mop Holder | FC03G | | | 1 | 1 | 1 | | | | | | | | p. 75 |
| | Sanitary Squeegee Sanitary Combi Brush | PM45A PM55A PB45A PB55A | | | | | | 1 | 1 | 1 | 1 | 1 | | | p. 79 |
| | SmartColor SWIVEL Brushes | SB20G CB20G | | | | | | 1 | 1 | 1 | 1 | 1 | | | p. 77 |
| 1 | WaterWand | MW450 HMxxx HWxxx | | | 1 | | 1 | | | + FWAI0 | + FWAI0 | + FWAI0 | 1 | 1 | p. 79 |
| | AquaDozer® | FP600 FP900 | | | | | | | | | + FAAI0 | 1 | | | p. 79 |

Telescopic + extra piece

3 pieces

TELESCOPIC HANDLES

Ergonomic aluminium telescopic handles. - Length can be adjusted and secured at any point to suite individual height

- Cone fits all UNGER mop holders
 Labels included for colour coding

| Part No. | Size | Ø | Colour | Pack | |
|----------|---------------|-------|--------|------|--|
| FAPLW | 1,30 – 1,70 m | 21 mm | • | 1 | |
| EZ25G | 1,30 – 2,50 m | 21 mm | | 10 | |
| EP24R | 1,30 – 2,50 m | 21 mm | • | 10 | |
| MS18G | 1,30 – 1,80 m | 21 mm | | 10 | |
| | | | | | |
| | | | | | |

SmartColor MOPHANDLE

Lightweight aluminium mop handles.

- Mop holder snaps into place

- Solid and light, made of aluminium, with ergonomic plastic handle - Labels included for colour coding

| | | • | | |
|----------|--------|-------|--------|------|
| Part No. | Size | Ø | Colour | Pack |
| MH140 | 1,40 m | 23 mm | ٠ | 20 |
| MH14G | 1,40 m | 23 mm | • | 10 |
| HH13R | 1,30 m | 21 mm | • | 10 |
| MS14G | 1,40 m | 23 mm | • | 10 |

ProAlu 1,5° HANDLE, 3 SECTIONS KNOCKDOWN

Heavy duty handle with rigid, fluted aluminium construction. – Aluminium, lightweight and solid

| – 3 individual | . sections | assemble | into one | long handle | |
|----------------|------------|----------|----------|-------------|--|
| | | | | | |

| Part No. | Size | Ø | Pack |
|----------|--------|-------|------|
| AL14G | 1,40 m | 25 mm | 5 |

ProAlu 1,5° HANDLE

| | 5° taper socket. and solid aluminiu mm | m | | |
|----------|--|-------|------|--|
| Part No. | Size | Ø | Pack | |
| AL140 | 1,40 m | 25 mm | 10 | |

ProAlu ACME

Handle with ACME threaded zinc alloy tip.

– Lightweight and solid aluminium – Handle Ø 25 mm

| Part No. | Size | Ø | Pack |
|----------|--------|-------|------|
| AL14A | 1,40 m | 25 mm | 10 |


ProAlu 3,0° HANDLE

Handle with 3.0° taper socket combined with ACME threaded zinc alloy tip. Lightweight and solid aluminium
Handle Ø 25 mm

| Part No. | Size | Ø | Pack |
|----------|--------|-------|------|
| AL14T | 1,40 m | 25 mm | 10 |

FLOOR SCRAPERS & MAINTENANCE TOOLS





HU900

90 cm

5



ERGO DUST PAN

For quick and thorough waste removal.

- Ergonomic and convenient

- Dust pan opens when raised, and retains the waste

| Telescopic ha | ndle (EDTBG), car | n be adjusted to s | uit individual heigi |
|-----------------------------------|-------------------|--------------------|----------------------|
| Part No. | Size | Туре | Pack |
| EDTRO | 92 v 20 cm | Toloccopic | 4 |

| EDTBG | 83 x 30 cm | Telescopic | 6 | |
|-------|------------|------------|---|--|
| EDPBR | 83 x 30 cm | Standard | 6 | |



| – For applying – Convenient | finishing fluid for the second s | h 1.40 m handle. to wooden floors standing eeve with snap fasteners | | |
|--------------------------------|--|---|------|--|
| Part No. | Size | Material | Pack | |
| QS140 | 40 cm | Blended fabric* | 10 | |
| WonderWa | axer REPLA | CEMENT SLEEVE | | |
| Part No. | Size | Material | Pack | |

| Part No. | Size | Material | Pack |
|----------|-------|-----------------|------|
| QS010 | 40 cm | Blended fabric* | 10 |

WONDER WAXER

The superlight WonderWaxer is ideal for applying wax to almost all types of floor. The head swivels to reach difficult areas. The low-lint fabric sleeve is replaceable and fits firmly on the T-bar with snap fasteners. The WonderWaxer is perfect for use on gym and commercial floors. Perfectly fits to 28 l bucket QB220 on page 58.

* 65 % polypropylene, 35 % polyester

MICROFIBRE CLOTH SYSTEM




MICROFIBRE CLOTH SYSTEM

AVOID BACTERIAL CONTAMINATION!

- Five-colour system for optical coding optimises cleaning by dividing tools and areas
- Matching coded tools assigned to specific cleaning areas prevent dangerous bacterial contamination
- Colour-coding facilitates the application of specific chemicals, thus protecting valuables like furniture and floor coverings

CLOTH SURFACE GUIDE

- Guidelines for choosing the right microfibre for the right task
- Optimization of your return on investment (ROI) by purchasing the best grade for your needs




GRADING SYSTEM EXPLAINED

The range of cleaning products that microfibre may be used for is dictated by many qualities, including fibre thickness, length, finishing, abrasiveness, absorbency, cloth dimension, edging and quality manufacturing techniques. **UNGER** has established several

DURABILITY

i



performance factors that have been tested, measured and validated by ASTM independent laboratories and other US standard industry tests. This criteria is designed to assist end users in the selection process when purchasing microfibre cloths.

TEST DESCRIPTIONS

- Durability (Wear Cycles)** The higher the factor, the greater number of times the microfibre cloth can be moved across an abrasive surface before wearing through and degrading or developing holes
- Scrub Factor (Abrasiveness)** The higher the scrub factor, the better the performance of the cloth in removing dirt and bacteria from surfaces and microscopic crevices
- Absorbency* The higher the factor, the more liquid the cloth will absorb and hold
- Wash Cycles A higher number of wash cycles indicates the longevity of the cloth through machine wash and dry cycles before deteriorating

** ASTM Tests *Standard US Industry Tests

MICROFIBRE CLOTHS & SPRAYER



SmartColor MicroWipe

High quality microfibre cloth. Resistant against frequent commercial wash cycles. Use the table below to choose the right grade to maximise the return on your investment.

| Part No. | Size | Colour | Weight/m ² | Durability | Scrub Factor (Abrasivness) | Absorbency | Wash Cycles | Material | Pack |
|----------|------------|--------|-----------------------|------------|-------------------------------|------------|-------------|---------------|------|
| 4000 | | | | | | | | | |
| MF40R | 40 x 38 cm | • | 450 g | 4000** | 38** | 1700 ml* | 1500 | Microfibre*** | 10 |
| MF40J | 40 x 38 cm | • | 450 g | 4000** | 38** | 1700 ml* | 1500 | Microfibre*** | 10 |
| MF400 | 40 x 38 cm | ٠ | 450 g | 4000** | 38** | 1700 ml* | 1500 | Microfibre*** | 10 |
| MF40B | 40 x 38 cm | • | 450 g | 4000** | 38** | 1700 ml* | 1500 | Microfibre*** | 10 |
| 2000 | | | | | | | | | |
| MB40R | 40 x 40 cm | • | 350 g | 2000** | 36** | 1400 ml* | 1000 | Microfibre*** | 10 |
| MB40J | 40 x 40 cm | • | 350 g | 2000** | 36** | 1400 ml* | 1000 | Microfibre*** | 10 |
| MB400 | 40 x 40 cm | • | 350 g | 2000** | 36** | 1400 ml* | 1000 | Microfibre*** | 10 |
| MB40B | 40 x 40 cm | ٠ | 350 g | 2000** | 36** | 1400 ml* | 1000 | Microfibre*** | 10 |
| 500 | | | | | | | | | |
| MC40R | 40 x 40 cm | • | 300 g | 500** | 34** | 1100 ml* | 500 | Microfibre*** | 10 |
| MC40J | 40 x 40 cm | • | 300 g | 500** | 34** | 1100 ml* | 500 | Microfibre*** | 10 |
| MC400 | 40 x 40 cm | • | 300 g | 500** | 34** | 1100 ml* | 500 | Microfibre*** | 10 |
| MC40B | 40 x 40 cm | • | 300 g | 500** | 34** | 1100 ml* | 500 | Microfibre*** | 10 |
| 200 | | | | | | | | | |
| ME40R | 40 x 40 cm | • | 250 g | 200** | 39** | 250 ml* | 200 | Microfibre*** | 10 |
| ME40J | 40 x 40 cm | • | 250 g | 200** | 39** | 250 ml* | 200 | Microfibre*** | 10 |
| ME400 | 40 x 40 cm | • | 250 g | 200** | 39** | 250 ml* | 200 | Microfibre*** | 10 |
| ME40B | 40 x 40 cm | ٠ | 250 g | 200** | 39** | 250 ml* | 200 | Microfibre*** | 10 |
| ME40W | 40 x 40 cm | 0 | 250 g | 200** | 39** | 250 ml* | 200 | Microfibre*** | 10 |


Colours may vary from batch to batch.

** ASTM Tests * Standard US Industry Tests, Details p. 78 *** 80 % polyester, 20 % polyamide



4








RECOMMENDED USAGE General Washroom Clinical Food and Bar Area General Low Risk Area Bespoke or Site Specific

DUSTING BRUSHES & DUSTERS





MICROFIBRE DUSTERS







- Microfibre sleeve is removable and machine washable
- Fits securely to pole with Locking Cone

| Part No. | Size | Material | Pack |
|----------|-------|-------------|------|
| PXD7G | 75 cm | Microfibre* | 10 |



StarDuster® PRO FLAT/FLEX SLEEVES

Disposable or reusable replacement microfibre sleeves. – Effectively lift and hold the dirt

- Microfibre sleeve is machine washable

| Part No. | Info | Material | Pack |
|----------|-------------------|----------|------------|
| PS50W | Disposable Sleeve | ** | 1 Bag (50) |
| PM05W | Microfibre Sleeve | * | 1 Bag (5) |



| Part No. | Size | Material | Pack |
|------------|-------|---------------|------|
| CEDUG | 25 cm | Microfibre*** | 5 |
| . . | | | |

Colours may vary from batch to batch.



Telescopic lambswool duster with bendable head.

- Telescopic handle extends from 70 to 150 cm for dusting high objects
 Statically charged disposable sleeve grabs and retains dust
 Includes 1 disposable sleeve

| | · | | | |
|----------|-------------|---------------------------|------|--|
| Part No. | Size | Info | Pack | |
| LWDUR | 70 – 150 cm | Duster + 1 Disp. Sleeve** | 10 | |
| | | | | |

| LWDUR | 70 – 150 cm | Duster + 1 Disp. Sleeve** | 10 |
|-------|-------------|---------------------------|------------|
| DS10Y | 46 x 18 cm | Disposable Sleeve** | 1 Bag (10) |
| DS50Y | 46 x 18 cm | Disposable Sleeve** | 1 Bag (50) |



WASHROOM CLEANING TOILET & WASHROOM CLEANING







Ergonomic squeegee for mirrors and smooth surfaces.

- Ergonomic bi-component handle, designed for comfortable hold
- Stainless steel S-Channel with variable positioning options - Professional quality Soft Rubber for optimal cleaning results

| Part No. | Size | Pack | |
|----------|-------|------|--|
| ES35R | 35 cm | 10 | |
| NE350 | 35 cm | 10 | |
| RR350 | 35 cm | 10 | |




Ergonomic toilet brush for professional application. - Features 66 cm handle with 360° cleaning radius - Replaceable brush heads and swabs available

ts

| - Swab for | optimal | application of | cleaning | product |
|------------|---------|----------------|----------|---------|
|------------|---------|----------------|----------|---------|

| Part No. | Content | Pack |
|----------|----------------------------|------|
| BBCOR | 2 x Brush head + 1x handle | 5 |
| BBHLR | Brush Holder | 5 |
| BBRHR | 2 x Brush head | 5 |
| BSRHR | 2 x Swab head | 5 |



| | ERGO WALL SQUEEGEE, 35 cm | | | | |
|---------------------------|---|-------|---|----|--|
| | Light twin blade foam rubber – for drying tiles and grout lines Streak-free cleaning T-bar material made of acid proof polypropylene Ergonomic handle, detachable – squeegee also fits on pole | | | | |
| Part No. Size Colour Pack | | | | | |
| | EW35G | 35 cm | • | 10 | |
| | EW35R | 35 cm | • | 10 | |



- Superior cleaning power

- High water retention up to 6 times its own weight, ideal for cleaning larger areas
 Machine washable up to 500 times sleeve with side scrub pad
- Lightweight plastic T-Bar with water wells

| Eightweight plastic i Bar with water weits | | | | |
|--|-------|-------------|------|--|
| Part No. | Size | Material | Pack | |
| EC45R | 45 cm | Microfibre* | 10 | |
| NS45R | 45 cm | Microfibre* | 10 | |



The hygienic all-purpose grabber.

- Keeps refuse at a distance with a 53 cm long handle
 Solid design made of aluminium and metal
- Powerful rubber-coated claws for firm and precise
- grip of objects

| Part No. | Size | Pack | |
|----------|-------|------|--|
| NN40R | 53 cm | 5 | |

* Support material: 100 % polyamide; Fibres: 100 % polyethylene








NEW UNGER WEBSITE

IMPROVED SEARCH FUNCTION





USERFRIENDLYDESIGN& VALUEADDINGCONTENT

RESPONSIVE DESIGN FOR SMARTPHONES & TABLEDS

Dealer Stamp:



Terms of delivery and payment: This product assortment, valid from 01.01.2020, replaces all previous lists. The general terms of delivery and payment of UNGER Germany GmbH apply · No responsibility accepted for accuracy; subject to change without notice.

UNGER Germany GmbH Piepersberg 44 D-42653 Solingen GERMANY Tel.: (49) 0212 2207 0 Fax: (49) 0212 2207 222 ungereurope@ungerglobal.com UNGER Enterprises LLC

425 Asylum Street Bridgeport, CT 06610 USA Tel.: (1) 800 431 2324 Fax: (1) 800 367 1988 unger@ungerglobal.com UNGER UK Ltd.

F1 Deansgate, 62-70 Tettenhall Road Wolverhampton, WV1 4TH UNITED KINGDOM Tel.: (44) 01902 306633 Fax: (44) 01902 306644 ungeruk@ungerglobal.com



EN / VK061

www.ungerglobal.com